

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 20.

Lacorne tuy.

Latitude :
 Departure :
 Direction :
 Dip :
 Depth :

Started :
 Finished :
 Logged by :

Lots 55 - 61

R-IX

- 0.0 - 7.0 Casing
 7.0 - 155.5 Syenite, med-gr., uniforme, greyish
 7.00 - 19.2 pinkish color
 19.2 - 33.5 greyish
 33.5 - 56.0 Hybrid fine-gr, partly digested
 inclusion, dark grey hard siliceous.
 56.0 - 67.0 syenite as described above; greyish
 67.0 - 79.9 fine gr, hybrid, audesite, hard siliceous,
 locally low angle aligned, low 7 contact.
 75.3 - 78.7 pegmatite dyke, 5 to 10% very fine spo-
 dumene.
 79.9 - 99.8 syenite as described
 99.8 - 105.4 low 7 contact hybrid, audesitic, inclusion,
 very fine-gr, homblendic, biotitic dark
 grey.
 105.4 - 155.5 syenite as above.
- 155.5 - 166.5 Pegmatite dyke, light greenish white color, with coarse quartz,
 feldspar and spodumene. Quartz feldspar seem free from impuri-
 ties.
 Spodumene is from a fraction of an inch to 2 inch long, acicular
 crystals light green color.
 Around 20° angle of crystals with core. Some are almost parallel
 to core axis.
- 166.5 - 173.2 Syenite as described
 173.2 - 176.8 Pegmatite, as the main dyke. About same amount of spodumens.
 176.8 - 340.0 Syenite as above
- 255 - 276 a few sparse basic segregations
 276 - 340 as described

QUEBEC DEPARTMENT OF MINES

NOV 9 - 1953

MINERAL DEPOSITS BRANCH

No. GM-2506-A

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB - 21.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 4.0 Casing
 4.0 - 127.9 Syenite, med-gr, uniform greyish
 11.2 - 15.3 fine-gr, dark grey
 15.3 - 32.4 syenite as described
 32.4 - 33.4 fine-gr, aplitic, light grey,
 fins pyrite.
 33.4 - 40.4 syenite
 40.4 - 41.9 fine-gr, aplitic, light grey,
 little fine pyrite.
 41.9 - 46.2 syenite
 46.2 - 59.8 fine gr, dark grey, basic in-
 clusion faintly aligned 45° angle.
 59.8 - 79.0 syenite.
 pyrite & chalcopyrite 1 inch
 splash at 63.8
 79.0 - 86.0 fine-gr, hybrid siliceous, light
 grey, inclusion schistized at 50°
 with syenite injections
 86.0 - 95.6 syenite
 95.6 - 100.0 pegmatite dyke, no visible
 spodumene.
 100.0 - 127.9 syenite.

127.9 - 130.4 Chlorite - biotite schist Centerlooks like ordinary
 audessite.

130.4 - 173.7 Syenite as described

173.7 - 220.3 Hybrid gneissic rock (schistized, hard, fine-gr, greyish,
 partly digested inclusion, 50° angle of banding.
 With syenite inclusions.

220.3 - 235.5 Pegmatite dyke light greenish white color with coarse quartz-
 feldspar & Spodumene. Spodumene is definitely fresher and
 more greenish. Angle of spodumene is around 60°. Some are
 cut perpendicular to core axis. Spodumene is mostly around
 $\frac{1}{4}$ in section.

235.5 - 250.0 Syenite bybrid, with numerous sections of hybrid gneissic
 inclusions as at 173.7

239.9 - 240.7 qtz vein

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 22.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 16.8 Casing
16.8 - 66.7 Syenite, as described in SB- 23.

57.5 - 58.2 siliceous homb.biotite paragneiss
Little pyrite & chalco. Low angle
63.9 - 66.7 Low angle siliceous homblende-bio-
tite paragneiss.

66.7 - 69.9 Pegmatite dyke, med-gr, Contact both almost 90°
Fair amount of spodumene is very fine needles,
very low angle, light greenish creamy grey.
Unusual amount of very tiny buff crystals;
scheelite?

69.9 - 115.8 Syenite, as described,

low angle, homblende-biotite paragneiss in-
clusions at 70.1 - 70.5, 72.2 - 73.1, 74.0 -
74.6, 80.4 - 81.2
pegmatite, low angle 114.4 - 115.8 traces of
spodumene.

115.8 - 122.7 Homblende-biotite paragneiss, chloritic, low angle.
122.7 - 150.4 Syenite, as described; slightly porphyritic.
150.4 - 163.0 Pegmatite dyke, coarse-gr. 70° angle contact of hanging-wall.

Feldspar & quartz equal.
Spodumene is in long very low angle prisms.
Half of the spodumene is apple green and half
is creamy greenish grey.
Size $1/8$ to $\frac{1}{4}$ " wide, one to $2\frac{1}{2}$ inch long.

163.0 - 166.9 Syenite
166.9 - 169.3 Pegmatite Same remarks as above, for spodumene. About
same grade.
169.3 - 186.3 Syenite

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 23.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 19	Casing
19.0 - 71.5	Syenite, massive, med-gr. greyish (with fair homblende and biotite) low angle, 0 to core pegmatite 40.5 - 42.1 52.5 - 62.5 numerous short inclusions of
71.5 - 90.0	Andesite, massive, very fine-gr. dark green, grading slowly into a biotite-homblende schist or paragneiss.
90.0 - 94.7	Pegmatite dyke, 70° angle at both contacts; fine to med-gr. syenite at 90.0 - 90.2, 91.2 - 91.6 about 10.0% very fine needles of spodumene.
94.7 - 193.3	Syenite (as described) 98.1 - 98.9 homolende-biotite schist or paragneiss 122.5 - 123.4 pegmatite pinkish, traces of spodumene homblende-biotite paragneiss inclusions 128.0 - 128.4, 134.4 - 135.2, 138.2 - 141.3, 142.0 - 144.2, 175.1 - 176.0
193.3 - 194.1	Pegmatite dyke, very little spodumene.
194.1 - 197.0	Syenite, as described.
197.0 - 208.9	Pegmatite dyke, massive, coarse-gr. Angles of contact are both around 55°. Spodumene is much coarser than usual. Many crystals are $\frac{1}{2}$ inch in section. Color apple-green. Feldspar is whitish grey, about 3 times more abundant than quartz. Angle of spodumene is about 75°. Some crystals are almost at right angle.
	At both contacts, spodumene is fine-gr. The foot wall is also poorer. The rest is coarse-gr. and rather uniformly distributed.
208.9 - 231.4	Syenite as described, but faintly porphyritic.
231.4 - 236.2	Pegmatite dyke, weakly altered. Angle of contact 50°. Spodumene like in major dyke, but not as fresh. Angle around 60°. Some bands of pink feldspar. Feldspar about twice as abundant as quartz.
236.2 - 245.7	Syenite 236.2 - 236.6 Highly epidotized
245.7 - 256.6	Siliceous homblende-biotite paragneiss, hybrid 249.7 - 251.5 syenite
256.6 - 262.5	Syenite

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 24.

Latitude :	Started :
Departure:	Finished :
Direction:	Logged by :
Dip :	
Depth :	

- 0.0 - 5.0 Casing
5.0 - 47.8 Dark grey rock, fine-gr, hard, homblende and biotite rich, obscure thin to medium bedding (very low angle). Paragneiss, Abundant garnet locally.
- 47.8 - 125.3 Syenite, massive, med-gr, grayish, fresh looking very fine-gr, dark green, (andesitic?) inclusion 53.0 - 58.7 aplitic dyke 1.0% spodumene at 73.3 - 73.6
- 125.3 - 158.7 Hybrid syenitic mygratite, partly digested wide inclusion, with numerous narrow syenite injections, prophyrites appearance, with fine-gr, groundmass. Dark grey.
- 158.7 - 168.7 Pegmatite spodumene dyke.
Medium size crystals. Mostly $\frac{1}{2}$ wide to 1 inch long.
Distribution uniform.
- 168.7 - 171.6 Hybrid syenitic mygratite, as described above.
171.6 - 174.0 Pegmatite- spodumene dyke, A bout same content as main dyke
174.0 - 190.0 Hybrid syenitic mygratite, as described above.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 25.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 3.0 Casing
3.0 - 3.9 Syenite, massive, med-gr. greyish
3.9 - 15.7 Homblende-biotite siliceous paragneiss? fine gr. dark, 30° angle medium to their bedding.
15.7- 29.0 Syenite, massive, med-gr. greyish.
Pegmatite dykes, barren looking 20.3 - 21.0
29.0 - 53.2 Homblende-biotite siliceous paragneiss? as described above. Bedding 30° grading to 45° angle.

53.2 - 226.5 Syenite, massive, med-gr. greyish to dark grey
53.2 - 84.7 hybrid, darker grey.
84.7 - 114.5 dark grey.
97.5 - 98.2 pegmatite dyke, 0.5% spodumene
114.5 - 123.6 syenite, pinkish grey.
123.6 - 139.0 syenite, fine-gr. porphyritic phase.
135.9 - 136.5 pegmatite, coarse-gr. pinkish, barren looking.
139.0-159.7 syenite, med-gr. greyish, locally pinkish
lost core 133.0 - 134.0, 139.5 - 141.0
Grey vitreous qtz. barren looking at 143.5 - 144.0,
144.6 - 145.3, 147.0, all, low angle.
159.7 - 160.0 pegmatite, coarse-gr. pinkish, barren looking.
160.0- 163.3 syenite, msd-gr. greyish.
163.3- 167.1 Paragneiss hybrid, grey siliceous, thinly bedded 45° angle.
167.1- 168.0 Pegmatite, coarse-gr. pinkish, barren looking.
168.0- 199.8 syenite, massive, med-gr. greyish
168 locally pinkish.
199.8 -200.6 As at 163.3
200.6 -226.5 Syenite, as described, becoming faintly porphyritic

DIAMOND DRILL HOLE SB- 25.

226.5 - 229.5 Hybrid syenitic migmatite, partly digested large inclusions, with numerous short syenite injections. Fine, dark grey, groundmass.

229.5 - 247.5 Spodumene - pegmatite dyke. Coarse-gr. Greenish, light grey. The spodumene crystals are fresher looking, more greenish. About 50% of crystals are massive instead of being elongated prisms. Some are cut at 80° angle.

Lost core 244.7 - 245.0, 246.4 - 247.5

Distribution: Uniform & abundant 229.5 - 242.5
Erratic & poor 242.5 - 247.5

247.5 - 248.4

Syenite

248.4 - 268.1

Siliceous hornblende - biotite paragneiss, medium bedding at 50° angle, fine-gr. dark grey.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 26.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

- 0 - 6.0 Casing
6.0 - 39.6 Syenite, massive, med-gr. greyish, uniform.
39.6 - 72.3 Migmatite (?) Mixture of about 50 - 50 hybrid syenite with partly digested hornblende-biotite paragneiss.
72.3 - 117.5 Hornblende-syenite paragneiss, fine, dark gray, faint very low angle alignment.

114.8 - 116.5 syenite as at 6.0
117.5 - 127.8 Spodumene-pegmatite dykes.
Coarse-gr.
Spodumene is scarcely distributed, rather low angle 20°,
Poor 125 - 127.8

127.8 - 204.0 Migmatite, hybrid, mostly hornblende-biotite paragneiss
syenite sections 144.0 - 150.5, 171.3 - 180.0
204.0 - 222.5 Syenite, massive, med-gr. greyish, uniform,
222.5- 256.8 Hornblende-biotite siliceous paragneiss, hybrid poor fine bedding
low angle, fine gr. dark grey.
256.8 - 282.0 Syenite, massive med-gr. greyish, uniform.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 27.

Latitude : Started ;
Departure : Finished :
Direction : Logged by :
Dip :
Depth :

0.0 - 5.0 Casing
5.0 - 46.5 Siliceous, homblende-biotite paragneiss, fine-gr. dark greenish grey good medium-bedding at 30° to 50° angle, syenite injections at 5.0 - 5.4, 11.1 - 12.1

46.5 - 68.9 Syenite, massive, med.-gr. grey, fresh looking
68.9 - 151.8 Siliceous homblende- biotite paragneiss, fine-gr. dark grey, very poor bedding, obscure, around 45° angle.
78 - getting fairly garnetized
syenite sections at 94.4 - 95.6

151.8 - 153.7 Pegmatite dyke, light greenish grey color, coarse-gr.
1 to 5% spodumene
5% lepidolite?

153.7 - 167.1 Siliceous homblende-biotite paragneiss
167.1 - 167.8 Syenite med.gr. greyish, massive.
167.8 - 178.8 Spodumene-pegmatite dyke
Medium to fine crystals, in general finer-gr.
crystals than usual. Fresh greenish.
167.8 - 168.8 very poor
168.8 - 171.0 very good 25 to 30% spodumene
171.0 - 173.5 poor to fair 5%
173.5 - 175.0 very good 20%
175.0 - 176.3 very poor 2% Mostly greyish
feldspar
176.3 - 178.8 fair 10%

178.8 - 185.1 Homblende-biotite paragneiss, faint fine bedding 50° angle, fine-gr. dark brownish grey.
185.1 - 193.8 Syenite, med. gr., greyish, massive.
186.3 - 193.8 Darker-grey, more dioritic, faintly porphyritic.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SE- 28.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 5.0 Casing
5.0 - 61.0 Syenite, massive med-gr. greyish,
11.8 - 13.2 spodumene- pegmatite dyke, 30° angle contact
5% spodumene at right angle.
32.3 - 32.9 Pegmatite, mostly quartz, no visible spodumene
49.1 - 49.6 Spodumene-pegmatite, 30° angle contact
5% fine spodumene right angle
53.6 - 55.0 Spodumene-pegmatite 30° angle contact
5% fine spodumene.
57.5 - 59.1 Idem.

61.0 - 123.2 Pegmatite-dyke, low angle contact, 350 angle.
Medium-gr.

Some sections are very rich, in fine spodumene, greenish, well cut
at 80° angle or perpendicular.
Some sections, poor in spodumene. Mostly pink feldspar.

61.0 - 63.6 very poor
63.6 - 68.6 very good
68.6 - 71.4 very poor
71.4 - 72.5 very good
72.5 - 75.5 poor
75.5 - 85.5 alternating bands of feldspar and of spodumene
fair at 85.5
85.5 - 99.6 mostly pinkish feldspath little quartz,
negligible spodumene at 99.6
99.6 - 107.5 alternating bands of feldspath and of fair
spodumene.
107.5 - 113.5 poor, pegmatite becoming aplitic with fine
biotite
113.5 - 116 fair
116 - 117.6 poor, aplitic & biotitic
117.6 - 118.0 good
118.0 - 119.0 lost core
119.0 - 120.6 very good, fine gr. at right angle
120.6 - 123.2 good, spodumene coarser low angle.

SB - 28 (Continued)

123.2 - 130.9 Syenite, as described

130.9 - 146.9 Pegmatite, massive coarse to med-gr.

Fair spodumene, greenish, mostly fine-gr. cut at almost right angle, starting at 140.6 the spodumene crystals become coarser and are oriented at a low angle

Feldspar twice as abundant as quartz.

First 3 feet, are poor. The rest is quite uniform

146.9 ~ 147.6 Syenite as described, massive.

147.6 - 147.9 Sand.

147.9 - 148.3 Pegmatite, as described 15% fine spodumene, needles.

148.3 - 155.6 Syenite, as described

155.6 - 198.2 Migmatite, Mostly hornblende & biotite siliceous paragneiss with numerous short injections of syenite.

low angle pegmatite 156.9 - 157.5, 158.0 - 158.5,
" " " 161.1 - 162.0, 162.9 - 165.1 traces of
spodumene, locally.

pegmatite, no visible spodumene, 175.9 - 176.5, 180.5

198.2 - 222.4 Syenite, as described.

205.0 - 209.4 fine gr. siliceous, little fine pyrite,

209.4 - 222.4 syenite as described.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 29.

0.0 - 6.0 Casing (Reported in pegmatite dyke, by drillers)
6.0 - 40.0 Pegmatite.

Spodumene, fine-gr. greenish, well cut,
Feldspar twice as abundant as quartz.
6.0 - 9.0 fair
9.0 - 14.0 very poor
14.0 - 16.5 good
16.5 - 19.0 poor
19.0 - 33.0 very good
33.0 - 40.0 Nil

40.0 - 43.3 Syenite, massive, med-gr, greyish 45° angle of contact,
43.3 - 50.7 Pegmatite dykes,
Mostly feldspar, little syenite inclusions.
No visible spodumene.
50.7 - 58.5 Migmatite, hybrid syenite, with abundant digested schist material.
55.5 - 58.5 schistized at 45° angle.

58.5 - 74.2 Hornblende-biotite siliceous paragneiss, fine-gr. dark grey, fine
alignement at 45°.
74.2 - 95.8 Pegmatite, coarse-gr. Mostly feldspar, pinkish color. Fair fine
spodumene, on sparse short sections, only.
74.2 - 75.2 LiK le spodumene.
75.2 - 80.0 Lost core.
80.0 - 80.7 Fair spodumene.
80.7 - 81.6 Mixture of hornb.-biotite paragneiss & syenite
81.6 - 95.8 Pegmatite as described.
95.8 - 110.8 Syenite, massive, med-gr. greyish altered chloritic.
101.0 - 110.8 finer-gr. darker, more chloritic,
110.8 - 133.1 Syenite, massive, med-gr. greyish, fresh type.
115.3 - 116.2 pegmatite no visible spodumene.
133.1 - 143.0 Pegmatite dyke, coarse-gr. Abundant pink feldspar. 3 times more than
quartz.
133.1 - 134.3 poor 80° and 35° angle of contact.
134.3 - 137.5 very good in spodumene. Med-gr. green 80° angle.
137.5 - 143.0 very poor to nil.
143.0 - 149.5 Syenite, as described.

149.5 - 176.9 Pegmatite dyke, usual type.
syenite incl. 150.2 - 150.8, 153.1 - 153.5, All low angles.
syenite incl. 157.1 - 158.5, hybrid, 158.5 - 159.5.
spodumene, med-gr. greenish, angle starting at 80°,
grading down to 45° towards the end of dyke.

SB- 29: (continued)

176.9 - 233.2 Syenite, massive, med-gr. fresh looking, greyish.
199.0 - 202.1 partly digested, hornbl-biotite schist.
209.0 - 197.5 getting faintly porphyritic
197.5 - 233.2 hybrid, dark fine-gr. migmatitic

233.2 - 235.6 Aplite, fine-gr. pink.
235.6 - 238.5 Syenite.
238.5 - 241.0 Aplite. " "
241.0 - 273.2 Syenite, fresh type
241.0 - 244.5 hybrid, dark(fine) fine-gr.
low angle pegmatite 259.1 - 259.8, 271.6 - 272.0

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 30.

Latitude : Started :
Departure : Finished :
Direction : Logged by :
Dip :
Depth :

0.0 - 6.0 Casing
6.0 - 15.3 Paragneiss, chloritic, hornblende-biotite
15.3 - 44.0 Syenite, altered moderately chloritized

32.0 - 34.0 pegmatite, whitish. No visible spodumene
37.4 - 39.2 Hybrid syenite, with digested paragneiss
39.2 - 40.4 pegmatite whitish, no visible spodumene
40.4 - 44.0 paragneiss, hornblende-biotite,

44.0 - 285.0 Syenite, fresh type; faintly porphyritic, locally.
68.0 - 68.7 pegmatite dykelet, parallel to core, no visible spodumene
74.0 - 76.0 " " " " " " "
90.0 - 91.2 " " " " " " "
92.1 - 93.2 " " " " " " "
119.9 - 121.8 " " " " " " "
154.3 - 155.4 " " " " " " "
178.5 - 181.0 " " " " " " "

285.0 - 321.0 Siliceous, hornblende-biotite paragneiss, fine to med. bedding, 15° angle with core, dark gray.

321.0 - 364.5 Spodumene - pegmatite dyke.
Coarse, light green spod. crystals. Low angle, 15° to 20°, Rather coarse, $\frac{1}{4}$ inch wide by 1 to 2 inches long.
329 - 329 good
329 - 332 fair
332 - 334 poor
Apparition of pink feldspar at 329
at 334. the dyke becomes really pinkish and contains no more spodumene.
At 340.7, Bunch of spod. crystals over 2 inches.

364.5 - 409.7 Siliceous, hornblende-biotite paragneiss; low angle fine bedding
A few short syenite injections lost core 380 - 383.5,
408.3 - 409.4

409.7 - 441.0 Syenite, typical, with local zones of basic segregations.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 31.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 7.0 Casing
7.0 - 9.3 Homblendite, paragneiss, fine alignment at 45°, contact angle 20°.
9.3 - 12.0 Quartz-feldspar dyke, traces of garnet. No spodumene.
12.0 - 14.8 Syenite.
14.8- 19.1 Quartz-feldspar dyke, traces of spodumene at 15.1'.
19.1 - 24.9 Siliceous homblendite, paragneiss, bluish tones,
24.9 - 25.0 Quartz feldspar dykelet.
25.0 - 53.7 Siliceous homblendite, paragneiss, blueish tones.

53.7- 55.5 39.5 - 45.3 pinkish quartz-feldspar dyke
55.5-134.0 spodumene traces from 40 to 42.
Homblendite, Paragneiss, alignment at 30°, contact angle 30°.
Syenite.

134.0 - 144.5 69.5 - 70.0 quartz-feldspar dykelet.
144.5 - 149.5 104.5 -105.5 " " " , traces of spodumene
149.5 - 150.6 108.0 -108.1 " " stringer.
150.6 - 152.5 124.5- 124.8 " " ".
152.5 - 153.3 Homblendite, Paragneiss.
153.3 - 164.0 Syenite.
164.0 - 180.8 Siliceous homblende-biotite, paragneiss.
180.8 - 193.1 Bordering a feldspar injection and being in it from 177.2 to 180.0.
193.1 - 196.5 Migmatite, grey, siliceous.
196.5 - 207.7 Lost core.
Migmatite, grey, siliceous.
Chlorite stringer at 207.7
Syenite.
207.7 - 208.6 Pinkish quartz-feldspar injection. Contact angle 10°.
208.3 - 219.0 Syenite.
219.0 - 222.1 Syenite bordering a quartz-feldspar injection.
222.1 - 225.0 Syenite, usual.
225.0 - 231.7 Homblendite, contact 45°.
231.7 - 247.6 Migmatite.
247.6 - 249.0 Hybrid migmatite.
249.0 - 287.0 quartz-feldspar injections at 263.6 - 264.0
" " " " 264.2 - 264.3
" " " " 286.8 - 286.9
287.0 - 349.5 Silicified homblende-biotite paragneiss.
349.5 - 352.9 Pinkish syenite, contact 70°.

SB- 31 (Continued)

362.9 - 362.1 Silicified homblende- biotite paragneiss.
362.1 - 363.8 Pinkish syenite.
363.8 - 375.0 Syenite, usual.
 Homblendite: 370.3 - 370.7
 374.5
375.0 - 392.1 Homblendite, alignment at 45°
392.1 - 401.6 Spodumene. Pegmatite dyke
irregular distribution. Crystals having no definite alignment.
401.6 - 426.9 Homblendite.
426.9 - 431.5 Syenite, usual.
431.5 - 436.5 Homblendite increasing in feldspar content.
436.5 - 445.4 Syenite, usual.
 443.1 - 443.6 feldspar dykelet.
445.9 - 450.0 Homblendite rich in feldspar.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 32.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 6.6	Casing
6.6 - 76.0	Syenite, as described elsewhere. 63.4 - 64.1 pegmatite, no visible spodumene, barren looking.
76.0 - 78.2	Pegmatite, typical, with fair very low angle, long acicular spodumene, greenish. Count 27, 1/16 inc.
78.2 - 81.6	Syenite, alt. hybrid. 80.3 - 81.5 fine epidote and pyrite nests.
81.6 - 90.7	Andesite, quite altered, chloritized, both walls are schistized at 30° deg.
90.7 - 91.6	Syenite.
91.6 - 106.7	Highly hybrid syenite with 75% schist inclusions.
106.7- 126.2	Pegmatite dyke, barren looking. traces spodumene at 111.0 -111.5, 124.7
126.2 - 158.6	Syenite, with about 10% hybrid sections, 150.5 - 151.0 pegmatite, 5% fine spodumene.
158.6 - 171.3	Pegmatite, 75° angle contact. 50% feldspath, 35% quartz. Spodumene, rather uniform distribution, very low angle,
171.3 - 182.6	Syenite.
182.6 - 190.6	Andesite, altered, highly chloritized or schistized on walls.
190.6 - 193.2	Syenite
193.2 - 195.0	Andesite, as above..

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 33.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 25.0	Casing
25.0 - 71.0	Syenite? Hornblende-biotite syenite; appearance of granodiorite locally.
71.0 - 86.3	Siliceous hornblende-biotite paragneiss, fine-gr. finely bedded at 45°, dark grey. With numerous syenite injections parallel to bedding. Almost a mygmatite.
	72.5 - 73.0 reddish syenite, altered.
86.3 - 102.4	Syenite, as described 95.3 - 96.6 spodumene-pegmatite dyke. A few fine scheelite? grains fine greenish spod. crystals, well cut, Count 13 1/16 97.4 - 98.2 pegmatite. barren looking 30° to 45° angle of contact
	99.7 - 102.4 spodumene-pegmatite dyke. A few fine scheelite? grains fine-greenish spod. crystals, well cut, Count 42 1/16
102.4 - 104.0	Siliceous hornblende-biotite paragneiss
104.0 - 116.5	Syenite
116.5 - 120.4	Siliceous hornblende-biotite paragneiss
120.4 - 212.0	Syenite 148.9 - 150.1 Pegmatite, pinkish, No visible spodumene 179.2 - 179.4 2 inches chlorite schist. 179.4 - 180.0 Lost core.
212.0 - 222.4	Pegmatite dyke Coarse feldspar & quartz 50 - 50% coarse spodumene, greenish, $\frac{1}{2}$ to $\frac{1}{2}$ wide, 1 inch long. well cut, at 80° angle lost core 212.4 - 213.0
222.4 - 289.0	Syenite, as described 236.7 - 237.4 pegmatite, no visible spodumene 250.2 - 253.1 pegmatite, mostly pinkish feldspar, little quartz, little spodumene. 261.4 - 263.2 paragneiss (siliceous, hornblendic, biotitic)

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 34.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 5.0	Casing	
5.0 - 67.0	Syenite	Chlorite-biotite schist, green 6.9 - 8.7 20.7 - 47.5 a few short sparse odd hybrid sections of biotite hornblende paragneiss inclusions. 56.0 - 57.9 Hornblende paragneiss, fine bedding 60° angle.
67.0 - 116.0		Hybrid migmatite. Intimate mixture of paragneiss and syenite. aplite dyke at 73.0 - 74.5, 75.8 - 76.3. 96.5 - 100.5 syenite, typical.
116.0 - 152.2		Spodumene pegmatite dyke, 45° angle of contact. Abundant spodumene, light greenish grey to <u>creaming grey</u> . Gysts well cut 80° to 90° angle. Mostly $\frac{1}{4}$ of an inch in section. About 1 inch long. Feldspar & quartz about same proportion. 116.0 - 119.0 good 119.0 - 122.0 very poor 122.0 - 131.0 very good 131.0 - 152.2 good The last 2 feet are very fine-gr., but still fair in spodumene.
152.2 - 173.4	Syenite.	Short paragneiss inclusions at 154.2, 161.6, 164.4, 172.6.
173.4 - 179.8		Hornblende-chlorite-biotite paragneiss.
179.8 - 197.6	Syenite.	
197.6 - 202.5		Siliceous hornblende-biotite paragneiss.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-35

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 5.0
5.0 - 75.4

Casing
Syenite, usual type.

8.2 - 9.3 chlorite-mica schist, heavy in chlorite,
angle of contact 50°.

10.1 - 10.9 pinkish quartz-feldspar injection.

13.1 - 13.4 chlorite-mica schist, angles of contact
70° and 50°.

25.7 - 25.8 chlorite-mica schist.

26.0 - 26.1 heavily chloritized mica schist.

26.1 - 26.8 epidotized, not schistized, fine grained,
uniform angle of contact 60°, light green,
like dacite.

37.0

stringers of chlorite mica schist at
38.0 27.4, 33.3, 37.0, 38.0

40 - 42.0 very fine-grain, light green, like dacite
46.0-50.0 chlorite-mica schist with inclusion of syenite

at 47.2 angle of schistosity: 50°
fine mineralisation of pyrrhotite & traces
of chalco.

51.0-51.1 quartz-feldspar injection.

56.8-57.6 " " "

66.0-67.5 " " with traces of spodumene.
angle of contact 70°.

75.4 - 123.6 Migmatite (syenite containing amphibolite inclusions).

75.4 - 75.6 like dacite, fine gr., light green, not schistized.
75.6 - 77.0 syenite, usual type with feldspar-stringer
at 76.5.

77. - 90.8 syenite not completely transformed into
schist (chlorite mica schist.)

90.8 - 97.8 syenite, usual type.

97.8 - 102.0 pinkish injection of quartz-feldspar.

102.0 - 107.2 syenite, usual type

$\frac{1}{2}$ inch feldspar stringers at 103.2, 104.9
106.1

107.2 - 123.6 migmatite with hybrid syenite angles of
contact at start 40°, at end 70°.

quartz-stringers at 108.3, 119.0

123.6 - 171.0 Syenite, usual type..
with feldspar stringers at 125.8, 138.0, 148.0
166.7 - 168.6 hybrid.

171.0 - 217.0 Pegmatite-Spodumene dyke.
Mostly coarse-gr. Greenish, Light grey.
Crystals are cut at a strip angle.
Distribution: Uniform & abundant 171 - 215
Poor 215 - 217.

217.0 - 229.3 Fine-gr. mica-schist, grey, with Hornblende crystals elongated at random through the weakly pronounced schistsity.

229.3 - 237.8 Spodumene - Pegmatite dyke. Same as before.
Distribution: uniform and abundant.

237.8 - 242.8 Syenite, usual type, fresh looking.
contact angle: 20°.

242.8 - 253.0 Spodumene-Pegmatite dyke.
Mostly fine crystals, greenish.
Distribution is uniform and abundant.

253 - 263 Syenite, usual type.
263 - 265.3 Migmatite, fine-gr., dark grey, weakly schistized.
265.3 - 267.6 Spodumene-Pegmatite dyke.
Mostly fine crystals, greenish.
Distribution uniform & abundant.

267.6 - 268.4 Migmatite, as above.
268.4 - 273. Spodumene - Pegmatite dyke.
Mostly fine crystals, greenish.
Distribution uniform, fair.

273 - 274.6 Migmatite, as above.
274.6 - 276.3 Lost core.
276.3 - 282.8 Migmatite, as above
silicified 278.0 E - 282.8

282.8 - 284.1 Lost core
284.1 - 284.7 Migmatite, as above.
284.7 - 291.6 Syenite, as usual.
291.6 - 294.1 Migmatite, as above
294.1 - 298.0 Syenite, as usual
298 - 302 Migmatite, as above.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 36.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 5.0	Casing
5.0 - 66.0	Syenite, usual type.
	19.6 - 20.1 quartz-feldspar dykelets
	30.0 - 31.8 " " "
	33.6 - 35.7 " " "
	40.9 - 41.0 " " "
	48.2 - 50.1 hornblende-biotite paragneiss, fine-gr., dark-grey, fine alignment.
	63.5 - 64.1 hornblende-biotite paragneiss.
	64.1 - 64.7 quartz-feldspar dykelet, contact angle 70°.
66.0 - 73.6	Syenite pinkish.
73.6 - 78.6	Hybrid, siliceous hornblende-biotite paragneiss and pinkish syenite.
78.6 - 86.9	" " " " " and grey syenite.
86.9 - 114.3	Spodumene-Pegmatite dyke, coarse-gr. 70° angle between axe of core and long axe of crystals. Distribution: uniform & abundant. Visual estimate: 1.2% Li ₂ O
114.3 - 119.4	Syenite.
119.4 - 136.8	Hornfels with syenite at 125.8 - 126.2, 129.2 - 129.4, 130.0 - 130.3
	Contact angle at 70° Fine alignment 70° 131.1 - 135.0 lost core
136.8 - 141.3	Syenite.
141.3 - 143.0	Hornblendite paragneiss

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 37.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 54.0 Casing.
54.0 - 57.3 Homblendite, metamorphosed, talcose, chlorite, green, medium soft.
57.3 - 63.8 Syenite.
57.3 - 57.9 coarse-gr., usual.
57.9 - 63.7 micro-syenite, very rich in Feldspar, light grey, fine-gr.
63.7 - 63.8 coarse-gr., usual.
63.8 - 130.3 Homblendite, talcy, chloritic, green, medium soft.
69.3 - 69.7 soft, talcy, homblendite.
91.5 - 92.1 syenite, coarse-gr.
98.8 - 99.3 feldspar injection.
100.6 - 101.6 darker
102.5 - 104.5 richer in feldspath, alignment at 40°.
108.8 - 110.0 last core.
114.0 - 118.0 homblendite-syenite contact zone.
118.0 - 127.3 homblendite-syenite contact zone.
130.3 - 150.3 Micro-syenite, light-grey, rich in feldspar, fine-gr.
150.3 - 152.1 Homblendite, as at 54.0
152.1 - 152.7 Micro-syenite, as at 130.3
152.7 - 158.5 Homblendite, as at 54.0
158.5 - 178.7 Micro-syenite, as at 130.3
178.7 - 179.3 Syenite
179.3 - 181.5 Micro-syenite 30°
181.5 - 182.5 Syenite
182.5 - 183.7 Micro-syenite 30°
183.7 - 185.2 Biotite schist low angle
185.2 - 186.8 Micro-syenite 30°
186.8 - 187.2 Biotite schist 30°
187.2 - 190.6 Micro-syenite 30°
190.6 - 199.9 Pegmatite dyke 70° - 90°
199.9 - 204.7 Syenite
200.0 - 201.3 micro-syenite, as at 130.3
201.3 - 203.4 coarse-gr. usual
203.4 - 204.7 micro-syenite, as at 130.3
204.7 - 210.3 Homblendite, as at 54.0
210.3 - 212.6 Spodumene-Pegmatite dyke. Pinkish.
distribution: poor 210.3 - 212.0
rich 212.0 - 212.6
212.6 - 222.4 Homblendite, as at 54.0
222.4 - 228.2 Mixture of grey syenite and micro-syenite
228.2 - 256.0 Homblendite, as at 54.0
240.1 - 240.7 Feldspath segregation
254.1 - 254.5 micro-syenite, as at 130.3

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 38.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 57.0 Casing
37.0 - 225.0 Syenite

37.0 - 71.0 syenite, coarse-gr., grey with few pinkish feldspars.

feldspar stringer at 47.5.
" " at 66.1.

71.0 - 99.0 syenite, usual, (coarse-gr, grey.)

feldspar stringer at 77.1
lost core 85.5 - 90.0

99.0 -100.0 quartz-feldspar dykelet, contact angle 20°
100.0 -100.5 " " " , bordering syenite

100.5 -101.5 mostly pinkish quartz feldspar, (brown spots)
101.5 -123.7 syenite, usual.

quartz-feldspar: 102.8 - 103.1 pinkish,
(brown spots)

" " 105.4 - 105.6 whitish,

" " 106.7 - 107.0 " "

113.1 - 113.8 pinkish

115.6 - 116.6

118.2 - 118.8

123.7 -125.2 spodumene bearing pegmatite dykelet
good, crystals are fine, light green.

125.2 -225.0 syenite, coarse-gr., grey, with few
pinkish feldspars.

quartz-feldspar: 127.0 - 127.1, 202.0 - 202.7,
145.3 - 145.7, 208.0 - 208.1,
151.5 - 151.6, 208.9 - 209.0,
167.8 - 167.9, 222.1 - 222.5,

Homblende segregations; 136.3 - 137.0

141.1 - 141.4

174.5 - 176.2

176.6 - 177.0

179.3 - 180.3

217.0 - 218.1

spodumene : 202.0 - 202.7

micro-syenite : 177.8 - 178.8

225.0 - 230.8 syenite
230.8 - 233.4 diorite 30c fine-gr.
233.4 - 234.0 syenite
234.0 - 234.4 diorite as above
234.4 - 235.0 pegmatite 20c

70% feldspars
30% quartz.

235.0 - 247.0 syenite
247.0 - 250.5 pegmatite 20c

70% feldspars
30% quartz

250.5 - 251.2 syenite
251.2 - 262.4 pegmatite 40c - 25c
1.c. 253.7 - 255.0
10% spodumene.
40% quartz
50c feldspars

262.4 - 266.0 syenite
266.0 - 267.1 pegmatite 30c

70% feldspars
27% quartz
3% spodumene.

267.1 - 283.0 syenite.
283.0 - 288.3 Pegmatite-spodumene dyke.
288.3 - 316.0 syenite, usual.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-39

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	

0.0 - 54.0 Casing

HOLE ABANDONED.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-40

Latitude : Started :
Departure: Finished :
Direction: Logged by:
Dip :
Depth :

0.0	-	97.0	Casing
97.0	-	124.9	Peridotite
124.9	-	129.6	Peridotite with grains of magnetite
129.6	-	138.4	Peridotite
138.4	-	141.0	Syenite
141.0	-	143.1	Peridotite & syenite.
143.1	-	150.7	Syenite
150.7	-	151.3	Pinkish, quartz-feldspar dykelet.
151.3	-	153.4	Syenite, few pink feldspars
153.4	-	154.2	Pinkish, quartz-feldspar dykelet.
154.2	-	164.9	Syenite, very altered, pink feldspars. Quartz-feldspar dykelet 157.0 - 157.9
164.9	-	166.0	Hornblendite.
166.0	-	169.1	Syenite, few pink feldspar.
169.1	-	170.5	Hornblendite
170.5	-	173.5	Syenite
173.5	-	180.2	Syenite, altered, pink feldspar
180.2	-	181.9	Hornblendite
181.9	-	186.5	Syenite
186.5	-	187.8	Quartz-feldspar dykelet
187.8	-	191.4	Syenite
191.4	-	192.4	Quartz-feldspar dykelet
192.4	-	209.1	Syenite, with few pink feldspar.
			Hornblendite 203.8 - 204.0
209.1	-	215.7	Hornblendite
215.7	-	219.7	Syenite, pink feldspars
219.7	-	222.3	Syenite very altered with pink feldspars
222.3	-	222.8	Quartz-feldspar stringer, cut at a very low angle
222.8	-	225.0	Syenite, altered, pink feldspars
225.0	-	228.0	Lost core
228.0	-	250.6	Syenite, few pink feldspar. Feldspars stringers at 241.1, 243.2
			Hornblendite at 243.3
250.6	-	286.6	Syenite, few pink feldspars. 1" hornblendite at 275.3 and 277.5.
286.6	-	290.3	Pegmatite dyke. Spodumene, usual type regular dissemination of medium-gr., crystals, greenish.
290.3	-	296.6	Syenite, 20 quartz-feldspar stringer at 292.3
296.6	-	307.1	Pegmatite dyke, usual type. Spodumene medium to coarse-gr., crystals, regular dissemination from 297.3 - 303.0, light and dark green crystals, coarse-gr., elongated 303.0 - 307.1
307.1	-	308.4	Altered syenite.

SB - 40 (Continued).

308.4 - 310.8 Homblendite
310.8 - 313.3 Syenite, rich in Homblendite
313.3 - 313.9 Homblendite
313.9 - 315.4 Mixture of syenite & homblendite
315.4 - 318.6 Syenite, very rich in homblendite
318.6 - 349.0 Syenite, usual.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 41.

Latitude :	Started :
Departure:	Finished :
Direction:	Logged by :
Dip :	
Depth :	

0.0 - 11.1 Casing
11.1 - 625.0 Syenite, intersected by quartz-feldspar injections at, 18.8 - 18.9, feldspar stringer.
70.1 - 70.9 slightly pinkish dykelet. (Brown spots ?)
134.0 - 135.4 dykelet, fair amount of spodumens.
205.5 - 208.3 impure, pinkish, fine-gr., traces of spodumene.
267.9 - 268.0 grey Quartz stringer.
276.6 - 285.5 quartz-feldspar dyke, brownish with spodumene crystals for a few-inches on both walls.
342.3 - 343.0 essentially grey quartz.
612.1 - 612.1 quartz stringer, smoky.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 42.

Latitude :	Started :
Departure :	Finished ;
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 71.0 Casing
71.0 - 74.6 Quartz-feldspar dyke, with few crystals of spodumene.
74.6 - 365.3 Syenite, intersected by quartz-feldspar injections .

lost core 123.4 - 125.6
" " 150.4 - 153.6

350.9 - 351.8 pinkish dykelet cut at 50o.
fair amount of spodumene.
355.3 - 357.5 dykelet, fair amount of spodumene over 1 foot.

365.3 - 372.5 Pegmatite-Spodumene dyke regular dissemination, mostly coarse
crystals, very pale crystals.

372.5 - 454.0 Syenite, intersected by quartz-feldspar injections,

381.6 - 388.0 pinkish dykelet, fine-gr., cut at 10o.
fair amount of fine-gr., green spodumene.

387.0 - 389.7 pinkish dykelet, traces of spodumene
391.7 - 392.3 pinkish dykelet, fair spodumene

392.3 - 394.2 lost core

423.7 - 426.4 dykelet with fair spodumene.

447.5 - 448.9 dykelet cut at 60o, pinkish, fine-gr.,
fair amount of spodumene.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 43.

Latitude :	Started :
Departure:	Finished :
Direction:	Logged by :
Dip :	
Depth :	

0.0 - 55.0 Casing

HOLE ABANDONED.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 44.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 53.7 Casing
53.7 - 215.7 Syenite, intersected by quartz-feldspar injections at,

172.3 - 175.7 pinkish dykelet, carrying a fair amount of spodumene from 172.5 - 174.2.

192.9 - 193.3 white stringer cut at 70°, fair amount of coarse spodumene crystals.

197.0 - 197.3 white stringer, cut at 80°.

215.7 - 227.6 Pegmatite dyke, usual type. Fair amount of Spodumene, medium to coarse grains crystals, very pale variety. Cut at 80°.

227.6 - 450.0 Syenite, intersected by quartz-feldspar injections.

330.9 - 331.8 rich in spodumene dykelet, white, coarse elongated spodumene crystals cut at 450°.

355.7 - 358.3 slightly pinkish dykelet, cut at 70°, low content of coarse elongated spodumene crystals.

398.1 - 399.9 pinkish dykelet cut at 30°, traces of spodumene

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 45.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	

0.0 - 51.6	Casing
51.6 - 52.0	Syenite
52.0 - 63.6	Spodumene Pegmatite dyke, usual type, green and breff colored spodumene crystals, coarse and fine crystals.
63.6 - 181.7	Syenite with quartz-feldspar dykelets or stringers
181.7- 224.2	Hybrid zone.
	181.7 - 185.1 Homblendite
	185.1 - 192.3 Homblende gneiss, with quartz-feldspar stringer, traces of apodumene 188.9 - 189.7 cut at 50o.
	192.3 - 192.5 syenite.
	192.5 - 193.5 quartz-feldspar stringer cut at 60o.
	193.5 - 196.3 syenite.
	196.3 - 200.4 homblende gneiss, fine-gr., light grey, cut at 20o.
	200.4 - 202.5 homblendite
	202.5 - 204.4 syenite.
	204.4 - 205.2 / pinkish quartz-feldspar stringer.
	205.2 - 224.2 homblendite.
224.2 - 244.5	Syenite.
	227.0 - 227.3 pinkish quartz-feldspar stringer cut at 70o.
	236.2 - 238.6 white quartz-feldspar dykelet cut at 60o.
	239.0 - 239.4 homblendite.
244.5 - 265.5	Homblendite
265.5 - 297.2	Biotite homblende schist talcose. sparsely disseminated pyrite lost core: 269.0 - 269.5, 280.1 - 281.2, 282.4 - 283.3
297.2 - 298.8	Pegmatite dyke- quartz-feldspar 45o.
298.8 - 324.0	Micro-syenite, rich in ferro-magnesien.
	317.0 - 317.2 pinkish quartz-feldspar stringer.
324.0 - 640.0	Homblendite, part, slightly schistose, black col. 326.4 - 326.6 syenite 327.4 - 330.5 syenite 331.5 - 332.1 syenite 336.9 - 337.1 syenite 337.9 - 338.1 syenite 384.7 - 389.5 little pyrite in homblendite

390.5 - 391.3 light-grey silicified material, diorite like
391.3 - 392.4 epidotized homblende
392.9 - 393.8 lost core
398.6 - 402.3 light grey silicified material, diorite like.
424.1 - 424.3 quartz-feldspar stringer
425.1 - 428.6 pinkish quartz-feldspar dykelet
436.9 - 437.0 white feldspar stringer
447.3 - 451.3 pinkish quartz-feldspar dykelet
464.0 - 464.3 white feldspar stringer
486.2 - 487.3 pinkish quartz feldspar
488.2 - 492.4 pinkish quartz feldspar dykelet cut at 600
494.6 - 494.9 pinkish quartz feldspar stringer
512.9 - 513.0 epidotized homblendite
514.8 - 517.6 light grey silicified material, diorite like
517.6 - 518.3 lost core
522.5 - 522.9 epidotized homblendite
523.6 - 523.9 epidotized homblendite
542.4 - 542.8 white quartz feldspar stringer
548.2 - 548.8 white quartz feldspar stringer
572.7 - 573.5 syenite
574.1 - 579.5 syenite
579.5 - 592.6 silicified homblendite (in places)
584.9 - 585.0 lost core
592.6 - 600.0 white feldspar dyke.
600.0 - 601.0 homblende syenite fine-gr. alt.
632.6 - 633.6 lost core
634.6 - 635.9 lost core

640.0 - 644.3 Syenite.
644.3 - 645.0 Lost core

Lost core 641.1 - 641.9.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 46.

Latitude : Started :
Departure : Finished :
Direction : Logged by :
Dip :
Depth :

60 - 20.0 Casing.
20.0 - 67.0 Syenite.
47.3 - 47.6 pinkish quartz-feldspar stringer.
56.1 - 56.2 quartz-feldspar stringer.
58.7 - 59.0 quartz-feldspar stringer.
67.0 - 67.4 Siliceous mineralized peridotite.
67.4 - 320.0 Biotite granodiorite, fine-gr., light grey, gneissic texture,
porphyritic in most places, sparsely mineralized in pyrite.
71.0 - 71.1 feldspar stringer.
98.9 - 99.6 syenite.
113.1 - 113.4 syenite.
126.8 - 127.1 syenite.
141.3 - 141.6 syenite.
146.3 - 158.4 syenite.
159.8 - 160.3 "
161.5 - 162.0 "
163.0 - 163.3 "
163.8 - 164.0 "
201.7 - 201.8 "
203.9 - 205.4 "
206.6 - 207.5 "
225.2 - 225.4 pinkish quartz-feldspar.
226.0 - 226.2 pinkish " "
250.4 - 250.9 syenite
260.1 - 260.6 lost core
320.0 - 340.0 More silicified in places,
326.6 - 326.7 syenite.
340.0 - 424.0 Biotite granodiorite, fine-gr., light grey, gneissic texture,
porphyritic in most places, sparsely mineralized in pyrite.
341.3 - 341.4 syenite.
374.4 - 374.7 "
375.3 - 375.9 reddish quartz feldspar stringer.
388.2 - 388.5 syenite.
389.9 - 390.4 "
394.5 - 395.0 white quartz feldspar stringer.
395.5 - 396.2 syenite.
396.7 - 397.3 syenite.
401.7 - 401.8 white quartz feldspar stringer.

- 404.1 - 404.2 white quartz stringer.
 406.1 - 406.9 pinkish quartz feldspar stringer.
 408.6 - 408.7 white quartz-feldspar stringer.
 411.8 - 415.6 syenite, contact at 45°.
 415.6 - 420.0 silicified homblende.
 420.0 - 420.1 white feldspar stringer.
 420.1 - 423.1 syenite.
 423.1 - 423.3 silicified homblende.
 423.3 - 424.0 syenite.
- 424.0 - 427.5 Biotite-homblende gneiss 50°.
 427.5 - 433.6 Biotite granodiorite med. to coarse-gr.
 433.6 - 436.1 Rhyolite deep reddish col. with uniform fine gr. pyrite.
 436.1 - 439.0 Biotite granodiorite med. to coarse gr.
 low angle quartz-feldspar 436.4 - 437.0
 439.0 - 470.3 Biotite granodiorite, gneissic, silicified, light to greenish color,
 in places perphyritic with feldspar and quartz phenos uniformly
 distributed fair to heavy pyrite with rusty appearance.
- 470.3 - 485.0 Biotite granodiorite gneissic.
 low angle quartz-feldspar with crystals of hard black
 mineral 471.9 - 473.2, 479.2 - 479.5.
- 485.0 - 488.5 Rhyolite deep reddish colored-mica homblende rich.
 488.5-493.6 Biotite granodiorite gneissic with a little pyrite.
 493.6 - 495.5 Biotite-homblende schist medium grained.
 495.5 - 505.9 Same as 439.0 - 470.3, contact at 20°.
 505.0 - 527.7 Biotite granodiorite medium to coarse grained biotite-
 homblende schist 511.1 - 512.5, 513.1 - 513.4, 513.9 - 514.6,
 515.2 - 516.6, 516.9 - 517.5.
 lava same as above 524.4 - 525.0.
 527.7 - 530.4 Same as 439.0 - 470.3,
 homblende syenite medium grained with pink feldspar,
 529.3 - 530.2.
- 530.4 - 531.5 Homblende syenite medium grained, pink feldspars.
 531.5 - 540.4 Biotite granodiorite fine grained, gneissic, a few pyrite scans,
 grading into.
 540.4 - 545.7 Biotite schist.
 545.7 - 548.6 Biotite granodiorite medium grained.
 548.6 - 549.7 Biotite schist.
 549.7 - 550.6 Aplitic 60°.
 550.6 - 559.0 Biotite granodiorite medium grained.
 low angle glossy quartz 557.5 - 558.3.
- 559.0 - 560.8 Pegmatite dyke, quartz-feldspar, one irregular
 contact, one at 25°. 70°.
- 560.8 - 561.2 Biotite granodiorite medium grained grading into .
 561.2 - 612.6 Mica schist. Schistosity none too well pronounced, some narrow
 sections of biotite granodiorite, pegmatite dyke, quartz-feldspar
 60°, 563.2 - 565.8 quartz-feldspar 608.7 - 609.0.
- 612.6 - 629.0 Biotite granodiorite gradually to homblende syenite,
 altered sheared 621.6 - 623.5.
- 629.0 - 641.8 Biotite-homblende schist.
 641.8 - 646.0 Homblende syenite medium grained.
 biotite-homblende schist 644.4 - 645.2.
- 646.0 - 665.4 Biotite quartz diorite grey, fine grained, gneissic 40°,
 well defined contact.

SB- 46: (Continued)

665.4 - 676.4	Homblende syenite medium grained.
676.4 - 678.6	Biotite granodiorite fine grained, gneissic.
678.6 - 680.2	Homblende syenite medium grained.
680.2 - 683.1	Biotite granodiorite, porphyritic, gneissic.
683.1 - 689.8	Homblende syenite medium grained.
689.8 - 691.1	Biotite homblende schist.
691.1 - 704.1	(Homblende) Homblendite.
704.1 - 704.7	Biotite granodiorite medium grained.
704.7 - 708.3	Biotite chlorite schist 70o.
708.3 - 747.7	Homblendite 80o fine grained. aplite 60o, 710.6 - 711.5 graphic granite 721.1 - 721.6, 722.1 - 722.7.
747.7 - 750.9	Biotite granodiorite medium grained.
750.9 - 752.0	Rhyolite with fine pyrite, deep reddish color.
752.0 - 752.6	Biotite granodiorite medium grained.
752.6 - 753.2	Rhyolite 80o same as above.
753.2 - 754.3	Biotite granodiorite medium grained.
754.3 - 755.0	Rhyolite same as above.
755.0 - 762.0	Biotite granodiorite medium grained, with narrow inclusions of biotite-homblende schist.
762.0 - 766.8	Biotite homblende schist 30o.
766.8 - 772.2	Biotite granodiorite grading into homblende granodiorite with pinkish feldspars medium grained.
772.2 - 794.7	Biotite-homblende schist with pyrite 792.4 - 793.6
794.7 - 814.2	Biotite granodiorite, gneissic, highly silicified, grey to greenish color, wuggy in places, mineralized with fair to heavy pyrite and a little pyrrhotite. andessite with quartz 795.9 - 796.5 homblendite with quartz fine pyrite 805.9 - 808.1 biotite granodiorite fine & medium grained with pyrite at 810.9 - 809.9 - 811.6.
814.2 - 826.3	Biotite granodiorite grading into homblende syenite with a little more quartz present than usual, mostly all homblende syenite medium grained 30o, lost core 816.7 - 817.6, 820.0 820.7.
826.3 - 867.2	Biotite granodiorite medium grained, porphyritic texture 350 350, lost cores 826.8 - 827.6, 843.0 - 844.3, 862.1 - 862.8 quartz-feldspar 835.5 - 836.1 homblende syenite with a little more quartz than usually present 862.8 - 866.0
867.2 - 876.6	Pegmatite dyke, quartz feldspar reddish color, aplitic in places 35o - 10o lost core 868.8 - 869.4, 871.6 - 872.3, 873.7 - 874.6
876.6 - 893.0	Homblende syenite and biotite granodiorite, some pinkish feldspar, lost core 887.3 - 887.8 micaceous homblendite 888.2 - 890.6 1" " " 890.8 quartz-feldspar-mica 891.7 - 892.0
893.0 - 900.0	Homblendite micaceous 2" quartz-feldspar 894.2 biotite granodiorite 894.6 - 894.9

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-47

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	
Elevation :	

0.0 - 15.0	Casing
15.0 - 20.1	Hornblende granodiorite micaceous medium grained.
24.1 - 25.0	Mica schist.
24.1 - 29.8	Hornblende granodiorite same as above hybrid grano-mica schist 27.1 - 28.1
29.8 - 46.8	Hybrid grano-mica schist lost core 41.2 - 41.8, 46.4 - 46.7 low angle aplite $\frac{1}{2}$ ", 43.3 - 45.4
46.8 - 49.9	Aplite
49.9 - 57.9	Hornblende-biotite schist 20°
57.9 - 75.0	Hornblende grano micaceous with syenite phases, pinkish feldspar, medium grained granodiorite.
75.0 - 121.0	Hornblende syenite pinkish feldspars medium grained.
121.0 - 129.0	Hornblende grano medium grained.
129.0 - 142.0	Biotite grano-quartz-feldspar 131.3 - 132.7, 136.6 - 137.5
142.0 - 144.0	Biotite-hornblende schist
144.0 - 150.0	Biotite grano fine grained, gneissic.
150.0 - 161.0	Biotite-hornblende schist, aplite 158.7 - 160.4
161.0-166.8	Basic intrusive fine gr. gneissic with minor lepidolite.
166.8 - 173.0	Biotite grano silicified, quartz-feldspar 170.4 - 171.0. lost core 171.2 - 172.5.
173.0 - 177.0	Pegmatite dyke, quartz-feldspar .
177.0 - 201.0	Hornblende granodiorite medium grained lost core 177.9 - 178.6, 183.0 - 183.5, 185.2 - 185.7, 191.2 - 191.7, 197.0 - 197.5, 199.0 - 200.0.
201.0 - 208.8	Spodumene-pegmatite dyke 1% Li ₂ O as more 15° - 25° biotite grano 205.0 - 206.3
208.8 - 212.7	Biotite grano medium grained .
212.7 - 224.2	Pegmatite dyke quartz-feldspar, aplite on places.
224.2 - 242.3	Hornblende syenite grading into biotite grano.
242.3 - 250.0	Pegmatite dyke quartz-feldspar 15°.
255.6 - 293.6	Hornblendite.
293.6 - 301.6	Hornblende syenite medium grained.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-48- 77°N

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 4.0	Casing.
4.0 - 9.5	Syenite med. gr. greyish 4.0 - 6.0 altered, darker grey color, 6.0 - 9.3 Hornblende-biotite massive syenite. 7.3 - 7.4 Pegmat. incl. pinkish feldspar.
9.3 - 10.5	Silicious hornblende-biotite paragneiss, fine gr. dark greenish-grey.
10.5 - 10.9	Pegmatite mostly feldspar.
10.9 - 12.8	Hornblende-biotite paragneiss, finegranulated, dark greenish-grey, poor bedding.
12.8 - 15.5	Syenite, greyish, med. gran.
15.5 - 17.8	Pegmatite dyke, pinkish feldspar, med. granulated quartz.
17.8 - 18.0	Altered syenite.
18.0 - 19.0	Hornblende-biotite paragneiss hybrid syenite, with poor bedding 45°.
19.0 - 21.9	Hornbl.-biotite altered syenite.
21.9 - 22.0	Pegmatite dyke, pinkish feldspar, medium gr. quartz, 3 times much feldspar.
22.0 - 22.9	Hornblende syenite.
22.9 - 23.0	Silicious hornbl. biot. paragneiss, poor bedding.
23.0 - 27.5	Pegmatite dyke, pinkish feldspar, med. gran. quartz, some chlorat. feldspar.
27.5 - 29.9	Altered hornblende syenite.
29.9 - 31.6	Pegmatite dyke.
31.6 - 33.7	Highly altered biotite, hornblende syenite, partly micaschist and talco schist, good bedding 45°, gray-greenish color.
33.7 - 35.4	Altered biotite syenite.
35.4 - 35.6	Pegmatite intrusion.
35.6 - 37.4	Very altered syenite, partly biotite schist.
37.4 - 37.7	Pegmatite intrusion
37.7 - 73.7	Hornblende syenite, pinkish feldspar, med. gran. massive.
73.7 - 75.2	Pegmatite dyke.
75.2 - 89.7	Biotite, hornblende syenite.
89.7 - 100.2	76.8 - 77.6(Pegmatite, (zinc of) Big size of cristals, 77.9 - 78.3(50 - 50% quartz and feldspar. 78.3 - 78.6(Altered paragneiss. Biotite gneiss-schist, good bedd. 45°, dark grey. 90.9 - 91.2 (aplite, pegmatite intrusions. 98.0 - 98.2 98.6 - 99.0 (T. of " spodumene &. 99.5 - 99.6

98.9 Some pyrite and blue co. molybdenite mineralization

- 100.2 - 100.8 Pegmatite.
 100.8 - 102.4 Altered biotite gneisso-schist.
 102.9 - 102.8 Altered biotite-syenite.
 102.8 - 104.4 Gneisso-schist (partly lost core)
 104.4 - 109.3 Quartz dyke.
 107.8 - 108.7 altered syenite.
 109.0 - 110.0 molybdenite and pyrite (2) mineralization.
 109.3 - 110.3 Biotite gneisso-schist.
 110.3 - 114.1 Altered syenite partly biotite, altered schist.
 114.1 - 115.7 Paragneiss, dark-grey, fine gran. Tr. of mineralization (pyrite).
 115.7 - 117.1 Core lost of altered syenite.
 117.1 - 118.0 Andesite greenish-grey, fine gran.
 118.0 - 119.6 Altered gneisso-schist.
 119.6 - 134.0 Pegmatite dyke, med-gran. 50 - 50%, quartz and feldspar, Tr. of spodumene.
 134.0 - 138.1 Andesitic lava, grey greenish, fine granulated, 95° bedding.
 138.1 - 144.0 Feldspar plagioclas-silicous paragneiss, poor bedding, light grey.
 144.0 - 146.0 Hornblende syenite, pink feldspar med. gran., some pyrite mineralization.
 146.0 - 149.5 Andesitic, partly altered, grey greenish, fine granulated.
 149.5 - 150.8 Altered gneisso-schist.
 150.8 - 152.9 Altered andesite with feldspar and quartz intrusions.
 152.9 - 175.0 Hornblende syenite massive, greyish, med. granulated, fresh type, pink and white feldspar, some basic segregations.

 157.8 - 159.0 hornblende, biotite, paragneiss with pyrite mineral.
 159.2 - 159.7 Pegmatite intrusion.
 161.3 - 161.7 Pink feldspar aplite.
 175.0 - 197.0 Syenite as described.
 188.3 - 189.0
 191.5 - 192.0 Aplite dykes.
 197.0 - 201.5 Aplite dyke.
 201.5 - 234.0 Syenite as described.
 234.0 - 237.2 Low angle syenite and aplite.
 237.2 - 250.0 Altered volcanic lava, partly perpentinised, sericitised and transformed in talc; greyish with greenish sections, partly violet greyish.
 243.0 - 243.5 Really fibrous cristals of green dark perpentine.
 250.0 - 257.0 Very altered feldspar-biotite paragneiss; partly micaschist, kaolinized feldspar, talcoschist.
 257.0 - 263.0 Greenish-grey, silicous, hornblende feldspar paragneiss; fine gr. Tr. of pyrite.
 263.0 - 281.5 Feldspar porphyric, partly dioritic paragneiss.

 271.4 - 272.6 Pegmatite dyke.

 281.5 - 300.0 Syenite, partly altered, chloritized.
 286.1 - 287.0 Fine grained pegmatite dyke.
 300.0 - 405.0 Syenite as described
 309.4 - 310.3
 320.0 - 322.3 Pegmatite dykes
 329.5 - 332.0
 369.6 - 371.7 Quartz dyke
 389.7 - 393.2 Pegmatite dyke, pink Feldspar.

END OF HOLE

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 49 - 45°

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	
Elevation :	

0.0 - 3.0 Casing
 5.0 - 231.3 Hornblende syenite partly grading into biotite hornblende granodiorite; pinkish feldspar, massive, med. grained; some basic intrusions.

72.6 - 72.9 Pinkish feldspar dyke
 85.3 - 87.0 Quartz and feldspar dyke
 101.2-104.6 Pegmatite dyke, pink feldspar.
 115.8-116.6 " " mostly pink feldspar.
 118.0-121.0 " " "
 125.6-126.7 Quartz dyke.
 146.8-142.2 Aplitic.
 153.8-156.6 Microlite pertite, pinkish feldspar pegmatite dyke.
 158.2 - 158.7
 174.4 - 176.3 Veinules of thrococrite - lepidolite.
 178.0 - 178.3 Quartz dyke.
 179.5 - 180.2 Pegmatite dyke.
 192.7 - 193.0 Quartz dyke.
 211.0 - 215.0 Pegmatite dyke.
 231.3 - 235.3 (235.3 - 237.6) " "
 235.3 - 237.6 Biotite hornblende granodiorite
 237.6 - 250.0 Pegmatite dyke, partly aplitic, mostly feldspar, traces of spodumene
 250.0 - 257.9 The same pegmatite dyke; mostly quartz-big crystals- and spodumene
 (25 - 30%) greenish.
 Traces of molybdenite.
 257.9 - 261.1 Biotite hornblende granodiorite.
 261.1 - 262.1 Biotite hornblende granodiorite.
 261.1 - 262.1 Pegmatite dyke. Spodumene 15%.
 Traces of tantalite (?) brownish-red, fine crystals, regular inclusions.
 262.1 - 270.4 B. H. Granodiorite.
 270.4 - 271.6 Pegmatite-granulite dyke tantalite (?) bearing-brownish-red fine grained
 regular distributed crystals.
 271.6 - 276.7 Biotite hornblende granodiorite.
 276.7 - 279.0 Pegmatite dyke. Quartz and fine crystals of feldspar.
 Some spodumene and tantalite crystals. Spodumene has nearly white color.
 279.0 - 285.7 Hornblende granodiorite.
 285.7 - 288.1 Pegmatite dyke with fine granulated feldspar and quartz.
 Traces of spodumene.
 288.1 - 300.0 Altered hornblende granodiorite.
 300.0 - 307.1 Hornblende granodiorite.
 307.1 - 308.2 Quartz dyke.
 308.2 - 324.8 Hornblende granodiorite.
 324.8 - 329.8 Pegmatite dyke green spodumene (?) and tantalite bearing.
 329.8 - 338.0 Hornblende granodiorite.

(Cont. sb- 45.)

338.0 - 339.3 Aplitic dyke.
339.3 - 361.3 Biotite hornblende granodiorite.
361.3 - 365.2 Pegmatite dyke. Tantalite R. (?).
365.2 - 367.7 Biotite hornblende granodiorite.
367.7 - 375.0 Pegmatite and aplite partly dykes.
375.0 - 384.0 B.H. granodiorite, fresh facies.
384.0 - 387.7 Pegmatite dyke.
387.7 - 400.0 Biotite hornblende granodiorite.
400.0 - 435.0 Hornblende syenite, pinkish feldspar with grading into Biotite
hornblende granodiorite; some basic intrusions.
435.0 - 487.0 Hornblende granodiorite.
487.0 - 500.0 Hornblende granodiorite - syenitic facies.
500.0 - 506.0 Fresh hornblende granodiorite.
506.0 - 508.0 Pegmatite dyke.
508.0 - 522.0 Biotite hornblende granodiorite.

513.0 - 513.8 Pegmatite dyke.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 50 - 50°.

Latitude :	Started :
Departure:	Finished :
Direction:	Logged By:
Dip :	
Depth :	
Elevation:	

0.0 - 57.0	Casing
57.0 - 75.0	Hornblende biotite granodiorite, 69.0 - 71.9 Pegmatite dyke, granulitic facies, med. grained quartz, fine grained pink feldspar.
75.0 - 100.0	Hornblende granodiorite 86.7 - 87.7 Micaschist-biotite mostly fine grained, thread of blue-violet, fluorite. 91.9 - 93.2 Pegmatite with granulitic facies.
100.0 - 109.4	Hornblende granodiorite.
109.4 - 114.0	Biotite granodiorite, 111.0 - 111.3 aplitic dykelet, white feldspar.
114.0 - 175.0	Hornblende-biotite granodiorite, syenitic facies, some schist intrusions, 131.6 - 132.0 Veinules with blue fluorite and green brown talc thread.
175.0 - 200.0	Hornblende-biotite granodiorite, more silicious, gneissic facies with alignement of basic elements, green, greyish. 190.0 - 193.0 green, only hornblende more feldspar quartz, medium grained .
200.0 - 225.0	Altered granodiorite, syenitic facies, hydrothermal alteration, chloritized fluoritic threads more pinkish feldspar. 209.5 - 210.1 Micaschist, fine grained. 210.1 - 212.0 Silicious fine gr. (2) diorite, gneissic, greyish. 219.4 - 221.7 Pegmatite dyke, pinkish feldspar, fine grained, medium grained quartz, granulitic facies.
225.0 - 275.0	Greyish, granodiorite, syenitic facies. 225.7 - 226.0 Aplitic dykelet. 243.0 - 244.5 Biotite granodiorite. 243.6 - 244.1 Aplitic, pink feldspar dyke. 256.8 - 258.0 Hybrid grano-micaschist. 260.1 - 262.3 Biotite granodiorite. 261.2 - 261.6 Aplitic. 266.0 - 267.1 Biotite grano.
275.0 - 279.0	Pegmatite dyke, pinkish feldspar. 276.8 - 277.1, 277.4 - 277.9, Biotite, grano-intrusions.
279.0 - 282.0	Hornblende-biotite grano, syenitic facies.
282.2 - 285.3	Pegmatite-spodumene dyke, green spodumene medium to fine grained. 13% spodumene (15°) 48% Quartz. 39% Feldspar.
285.3 - 297.0	Biotite hornblende granodiorite with some hornblende intrusions.

(Cont. SB- 50.)

289.8 - 290.0, 291.5 - 292.3
z 292.5 - 293.2, 293.5 - 294.4
299.5 - 297.0, Hornblendite

297.0 - 298.9 Hornblende granodiorite.
298.9 - 300.4 Pegmatite spodumene dyke.
15% spodumene (15°)
42.5% Feldspar
92.5% Quartz.

300.4 - 302.2 Biotite granodiorite.
302.2 - 312.0 Pegmatite-spodumene dyke.

302.2-307.2 Spodumene 15%, medium grained, green, (15°) some
lepidolite medium crystals.
307.2 - 310.3 Very poor in spodumene isolated medium gr. crystals,
mostly quartz, some lepidolite crystals.
310.3 - 312.0 Spodumene, fine crystals 15° - 15%.

312.0 - 346.0 Altered hornblende granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 51 -- 75°.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged By:
Dip :	
Depth :	
Elevation :	

0.0 - 24.0 Casing
 24.0 - 57.2 Hornblende syenite partly grading into biotite hornblende granodiorite, pinkish feldspar, massive, medium grained, some basic intusions and segregations.

43.9 - 44.4 Pink feldspar aplitic dyke.
 44.6 - 49.8 Pegmatite sykelet, quartz, feldspar, aplitic, greyish.

57.2 - 57.8 Quartz dykelet, vitrous, greyish.
 57.8 - 58.5 Altered hornblende syenite.
 58.5 - 58.8 Quartz dykelet.
 58.8 - 59.6 Small, pegmatite, mostly pink feldspar dyke.
 59.6 - 62.5 Altered syenitic rock.
 62.5 - 66.8 Pegmatite dyke, pink feldspar, medium grained, greyish quartz.
 66.8 - 72.4 Biotite hornblende granodiorite.
 72.4 - 72.8 Pegmatite pink feldspar, medium grained, quartz dykelet.
 72.8 - 74.0 Biotite hornblende granodiorite.
 74.0 - 77.9 Pegmatite pink feldspar, quartz dyke.
 77.9 - 103.5 Altered hornblende syenite. Pink feldspar.

90.8 - 91.2 Basim injection.

103.5 - 103.8 Basic intrusion, fine grained with blue-violet fluorite threads.
 103.8 - 110.0 Biotite granodiorite.
 110.0 - 125.0 Biotite hornblende granodiorite with syenitic facies.
 119.7 - 120.7 Pegmatite fine gr. dyke (2).

125.0 - 150.0 Hornblende syenite with dioritic facies.
 130.2 - 133.4 Altered Hornblende granodiorite chloritized, fine quartz-veinules, some basic segregations.
 132.0 - 132.3 Aplite dykelet mostly feldspar.

150.0 - 225.0 Typical syenitic rock, pinkish feldspar, fresh facies, medium grained, some fine veinules of fluorite threads.
 225.0 - 250.0 Hornblende syenite, pink feldspar more altered.
 225.6 - 225.9 Pegmatite dyke with tr. of tantalite. (?)
 225.9 - 234.0 Altered biotite granodiorite.
 239.1 - 239.5 Pegmatite dykelet.

250.0 - 299.8 Hornblende syenite dioritic facies.
 255.2 - 256.7 Pegmatite dyke, mostly quartz greyish, big crystals.
 269.4 - 271.6 Pegmatite dyke, fine gr. aplitic.

(Cont. SB- 51.)

297.7- 298.6 Pegmatite-granulite dyke.

299.8 - 316.1 Spodumene-pegmatite dyke.

Very good in spodumene: medium grained to big crystals, irregular
angle, 15% in volume for 16' average.

316.1 - 321.6 Biotite hornblende granodiorite.

321.6 - 326.3 Pegmatite dyke, partly aplitic.

326.3 - 350.0 Biotite hornblende granodiorite with partly syenitic facies.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 52 - 77°.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	
Elevation :	

0.0 - 48.0 Casing
48.0 - 49.0 Pegmatite dyke.
49.0 - 125.0 Biotite granodiorite, green-grey-medium grained, some basic segregations and veinules of fluorite threads.
125.0 - 143.4 Hornblende granodiorite, syenitic facies medium grained, pink feldspar to red.
143.4 - 152.0 Biotite granodiorite.
145.0 - 145.5 Aplite.
152.0 - 154.0 Hornblendite, fine grained, dark green.
154.0 - 175.0 Hornblende Biotite granodiorite, syenitic facies.
156.3 - 156.5, 158.1 - 158.6 Pegmatite
166.2 - 167.2, 172.9 - 173.1 Dykelets
175.0 - 200.0 Hornblende Biotite granodiorite, syenitic facies.
181.3 - 182.2 Hornblendite.
200.0 - 205.9 Hornblende biotite granodiorite.
205.9 - 211.4 Hornblende biotite diorite, fine grained silicious, greenish-greyish.
211.4 - 212.5 Pegmatite dyke.
212.5 - 224.6 Biotite hornblende granodiorite.
224.6 - 225.3 Pegmatite dykelet.
225.3 - 250.0 Biotite granodiorite.
237.1 - 240.2 Pegmatite dyke, g feldspar, quartz, granulitic, threads of spodumene.
241.4 - 242.3 Pegmatite dykelet.
250.0 - 275.0 Hornblende granodiorite, fresh facies.
275.0 - 288.2 " " syenitic facies.
288.2 - 288.8 Pegmatite dykelet.
300.0 - 350.0 Hornblende granodiorite syenitic facies.
316.4 - 317.0 Pegmatite dyke.
319.0 - 324.6 Pegmatite dyke, pink feldspar.
319.0 - 322.6 No spodumene.
322.6 - 324.6 5% spodumene
334.5 - 335.1 Pegmatite dyke.

(Cont. SB- 52.)

350.0 - 380.2 Hornblende granodiorite syenitic facies.
380.2 - 381.5 Hybrid granodiorite micaschist.
381.5 - 390.7 Pegmatite dykes, 20% spodumene, green, medium to fine grained crystals,
low angle 15° - 20°.

390.7 - 395.0 Lost core.
395.0 - 396.7 Biotite granodiorite.
396.7 - 417.0 Hornblende granodiorite, syenitic facies, partly biotite granodiorite.
411.5 - 413.5 Silicicous, fine grained, dark greyish, basic microdiorite;
threads of pyrite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 53 - 45°.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 37.0	Casing
37.0 - 45.0	Pegmatite dykes pink feldspar, medium grained vitreous quartz.
45.0 - 66.8	Andesitic facies, amphibolite. Good banding at low 15° angle, greenish.
66.8 - 72.5	Hornblende biotite granodiorite, medium grained greenish, greyish, partly chloritized, much feldspar.
72.5 - 75.3	Pegmatite dyke.
75.3 - 76.5	Biotite granodiorite.
76.5 - 80.3	Alternative veinules of hornblendite, feldspar and andesitic facies, Good banding at low angle 15°.
80.3 - 82.7	Pegmatite dyke.
82.7 - 100.0	Very fine grained hornblendite, Pyrite inclusions.
100.0 - 179.4	Hornblendite partly grading in andesite. Pyrite inclusions, veinules of feldspar, some garnets, partly altered.
194.4 - 195.0	Pegmatite, mostly quartz dykeslet.
195.0 - 206.1	Biotite and hornblende granodiorite.
206.1 - 209.0	Biotite granodiorite.
209.0 - 209.3	Aplitic dykeslet.
209.3 - 211.7	Biotite schist, medium grained.
211.7 - 213.0	Pegmatite dyke.
213.0 - 214.6	Hybrid diorite, biotite and feldspar, fine grained, grey dark, green colored.
214.6 - 215.3	Hornblende granodiorite.
215.3 - 225.0	Amphibolite greenstone.
225.0 - 248.2	Very fine grained hornblende grading in andesitic facies; partly digested fine grained siliceous diorite; some biotite schist intrusions.
248.2 - 263.0	Pegmatite dyke, 12% spodumene good medium to big crystals, low angle 15°.
263.0 - 269.0	Hornblendite.
269.0 - 300.0	Biotite granodiorite.

END OF HOLE.

QUEEPC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 54 - 45°

Latitude : Started :
Departure : Finished :
Direction : Logged by:
Dip :
Depth :
Elevation :

0.0 - 82.7 Casing.
82.7 - 369.0 Hornblende granodiorite with syenitic facies. Partly altered and grading in biotite granodiorite. Some threads of fluorite.

104.6 - 107.0 Pink feldspar, fine grained dyke.
125.8 - 127.6 " " " " "
128.8 - 130.6 " " " " "
147.6 - 148.0 " " " " "

369.0 - 382.7 Spodumene Pegmatite dyke, medium to fine grained greenish to white spodumene; 12% - 15%.

382.7 - 430.0 Biotite hornblende granodiorite partly altered.

384.2 - 385.4 Spodumene Pegmatite segregation.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 55 - 77°.

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by:

0.0 - 26.0	Casing.
26.0 - 31.3	Biotite granodiorite.
31.3 - 35.0	Hybrid fine grained diorite. Gneissic facie, very good banding, greenish grey colored.
35.0 - 38.6	Hornblende Biotite granodiorite.
38.6 - 54.3	Hornblende diorite, fine grained greenish.
54.3 - 58.8	Biotite granodiorite.
58.8 - 60.1	Pegmatite dykelet.
60.1 - 62.3	Biotite granodiorite.
62.3 - 68.8	Hornblende fine grained diorite.
68.8 - 78.4	Hornblende granodiorite.
78.4 - 78.7	Biotite granodiorite.
78.7 - 87.0	Pegmatite dyke.
87.0 - 88.6	Biotite granodiorite.
88.6 - 90.6	Pegmatite dyke.
90.6 - 92.0	Biotite granodiorite.
92.0 - 93.2	Pegmatite dyke, aplitic with biotite schist intrusions.
93.2 - 95.8	Hornblende Biotite granodiorite.
95.8 - 96.6	Aplitic intrusion.
96.6 - 100.0	Biotite hornblende granodiorite.
100.0 - 125.0	Syenite (hornblende), pink feldspar. 100.0 - 105.0 hornblende granodiorite.
125.0 - 154.5	Hornblende granodiorite with syenitic facies.
154.5 - 157.2	Hornblende microdiorite.
157.2 - 165.0	Spodumene pegmatite dyke, medium grained spodumene, 161.5 - 162.3 Hornblende microdiorite intrusion.
165.0 - 177.2	Hornblende microdiorite.
177.2 - 185.9	Pegmatite dyke. <u>177.2 - 180.0 1% spodumene.</u>
185.9 - 189.3	Hornblende granodiorite.
189.3 - 195.8	Pegmatite dyke.
195.8 - 202.6	Biotite hornblende granodiorite.
202.6 - 204.9	Aplitic dykes.
204.9 - 210.0	Biotite hornblende granodiorite.
210.0 - 211.3	Hybrid diorite-biotite micaschist, hornblende and amphybolite.
211.3 - 340.5	Eruptic greenstone; fine grained, fine banding 45°; some biotite and chloritized micaschist. 302.3 - 304.4 Pegmatite dyke .

(Cont. SB- 55.)

- 325.8 - 337.8 Pegmatite spodumene dyke.
- 340.5 - 351.8 Hornblende granodiorite syenitic facies.
- 351.8 - 363.2 Hybrid diorite, altered, chloritized.
- 363.2 - 365.4 Pegmatite dyke.
- 365.4 - 375.0 Syenite, altered.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 56 -- 55°.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	
Elevation :	

0.0 - 58.8	Casing.
58.8 - 70.4	Biotite granodiorite.
70.4 - 71.8	Pegmatite dyke.
71.8 - 72.3	Biotite granodiorite.
72.3 - 85.0	Pegmatite granulitic dyke. Some Biotite intrusions.
83.4 - 84.0	Altered grano-gneissic facies.
85.0 - 93.3	Biotite granodiorite, gneissic facies.
93.3 - 96.5	Pegmatite dyke. Traces of spodumene.
96.5 - 100.0	Biotite granodiorite.
100.0 - 113.7	" "
113.7 - 114.1	Pegmatite dykelet.
114.1 - 116.3	Biotite granodiorite.
116.3 - 121.4	Pegmatite dyke, 5% spodumene.
121.4 - 121.7	Biotite granodiorite.
121.7 - 122.2	Pegmatite dykelet.
122.2 - 125.0	Biotite granodiorite.
125.0 - 131.4	Hornblende biotite granodiorite.
131.4 - 136.6	Spodumene Pegmatite dyke.
136.6 - 138.3	Biotite granodiorite.
138.3 - 139.7	Spodumene pegmatite dyke.
139.7 - 143.2	Biotite granodiorite.
143.2 - 144.0	Pegmatite dyke, traces of spodumene.
144.7 - 150.0	Hornblende biotite granodiorite.
150.0 - 157.0	Biotite granodiorite.
157.0 - 157.6	Pegmatite dykelet.
157.6 - 159.3	Biotite granodiorite.
159.3 - 163.2	Pegmatite dyke.
163.2 - 174.8	Biotite granodiorite.
174.8 - 179.7	Silidous hornblende biotite diorite.
179.7 - 180.0	Pegmatite dykelet.
180.0 - 181.8	Silicious hornblende biotite diorite, gneissic facies.
181.8 - 187.2	Biotite, hornblende granodiorite.
187.2 - 192.3	Pegmatite dyke.
192.3 - 204.3	Biotite granodiorite, gneissic facies.
204.3 - 225.0	Hornblende biotite granodiorite.
225.0 - 228.0	Biotite granodiorite.
228.0 - 229.2	Pegmatite dyke.
229.2 - 234.0	Biotite granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 57 - 55°.

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 43.0	Casing.
43.0 - 49.6	Hornblende biotite granodiorite.
49.6 - 50.3	Aplitic dykelet.
50.3 - 73.0	Hornblende, biotite granodiorite.
73.0 - 75.0	Altered diorite grading in micaschist.
75.0 - 76.0	Micaschist, fine grained, greenish.
76.0 - 81.2	Hornblende granodiorite altered.
81.2 - 85.8	Gneissic recrystallized dioritic rock, good banding 40°.
85.8 - 100.0	Hornblende granodiorite grading in monzonite (syenitic facies).
100.0 - 112.0	Syenite.
112.0 - 115.0	Monzonite.
115.0 - 119.6	Hornblende biotite granodiorite.
119.6 - 125.0	Biotite granodiorite.
120.6 - 122.5	Feldspar and quartz aplitic dykelet, red brownish crystals (?) threads of digested spodumene.
125.0 - 141.4	Hornblende granodiorite syenitic facies.
141.4 - 141.9	Diorite grading in gneisso-diorite.
141.9 - 165.2	Very fine grained hornblendite, partly micaschist or hornblendite grading in gneissic facies.
165.2 - 167.0	Mixed altered granodiorite and hornblendite.
167.0 - 172.2	Hornblende biotite granodiorite.
172.2 - 188.5	Spodumene pegmatite dyke.
188.5 - 200.0	Hornblende granodiorite with syenitic facies.
200.0 - 203.0	Biotite granodiorite.
203.0 - 204.5	Micaschist.
204.5 - 210.2	Biotite granodiorite.
210.2 - 213.2	Gneissic dioritic rock.
213.2 - 225.0	Hornblendite and andesitic volcanic rock, banding 40°. 221.2 - 223.3 Altered granodiorite.
205.0 - 237.5	Gneissic hornblendite.
237.5 - 259.0	Syenite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 58 - 50°

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	
Elevation :	

0.0 - 52.3	Casing.
52.3 - 70.4	Hornblende granodiorite, syenitic facies.
70.4 - 71.3	Quartz dyke.
71.3 - 71.6	Hornblende granodiorite syenitic facies.
71.6 - 71.9	Quartz dykes.
71.9 - 75.9	Hornblende granodiorite syenitic facies.
75.9 - 76.5	Pegmatite dyke, pink feldspar.
76.5 - 85.6	Hornblende granodiorite, syenitic facies.
85.6 - 86.1	Pegmatite dyke, pink feldspar.
86.1 - 97.1	Hornblende granodiorite syenitic facies.
97.1 - 97.2	White feldspar.
97.2 - 100.0	Hornblende granodiorite, chloritized.
100.0 - 119.6	Hornblende granodiorite syenitic facies.
119.6 - 121.4	Pegmatite dyke, mostly feldspar.
121.4 - 125.0	Biotite hornblende granodiorite.
125.0 - 146.2	Hornblende granodiorite, some pink feldspar.
146.2 - 148.4	Pegmatite dyke.
148.4 - 151.9	Biotite granodiorite.
151.9 - 152.1	Pegmatite dykes.
152.1 - 152.3	Biotite granodiorite.
152.3 - 152.4	White feldspar.
152.4 - 156.7	Biotite granodiorite.
156.7 - 159.0	Hornblende Biotite granodiorite.
159.0 - 160.4	Biotite granodiorite.
160.4 - 160.8	Quartz dykes with biotite inclusions.
160.6 - 161.2	Biotite granodiorite.
161.2 - 175.0	Hornblende, Biotite granodiorite.
175.0 - 178.9	Hornblende "
178.9 - 179.2	Biotite granodiorite.
179.2 - 179.3	White feldspar.
179.3 - 180.0	Biotite granodiorite.
180.0 - 183.6	Biotite, Hornblende granodiorite.
183.6 - 184.0	Biotite granodiorite.
184.0 - 184.1	Pegmatite dykes.
184.1 - 184.3	Biotite granodiorite.
184.3 - 186.8	Hornblende, Biotite granodiorite.
186.8 - 187.9	Biotite, granodiorite.
187.9 - 188.0	White feldspar.
188.0 - 188.9	Biotite granodiorite.
188.9 - 199.0	White feldspar.
199.0 - 202.3	Biotite granodiorite.
199.5 - 202.9	Hornblende granodiorite.
202.9 - 204.0	Biotite granodiorite.

(Cont. SB-58).

204.0 - 204.1 White feldspar.
204.1 - 204.6 Biotite granodiorite.
204.6 - 208.4 Hornblende granodiorite.
208.4 - 208.6 Pegmatite dykelet.
208.6 - 209.4 Hornblende granodiorite.
209.4 - 211.0 Hornblende granodiorite syenitic facies.
211.0 - 213.4 Hornblende granodiorite.
213.4 - 213.7 Biotite granodiorite.
213.7 - 213.9 Pegmatite dyke pink feldspar.
213.9 - 214.3 Biotite granodiorite.
214.3 - 225.0 Hornblende granodiorite.
225.0 - 229.1 Hornblende granodiorite, syenitic facies.
229.1 - 229.7 Mixed granodiorite and Biotite schist. Threads of fluorite.
229.7 - 243.3 Hornblende granodiorite, syenitic facies.
243.3 - 243.5 Pegmatite dykelet.
243.5 - 243.7 Biotite granodiorite.
243.7 - 245.0 Hornblende granodiorite.
245.0 - 245.5 Biotite granodiorite.
245.5 - 245.7 Pegmatite dykelet, microgranulitic.
245.7 - 246.4 Biotite granodiorite.
246.4 - 246.5 Pegmatite dykelet.
246.5 - 258.5 Hornblende granodiorite.
258.5 - 258.6 White feldspar.
258.6 - 262.0 Hornblende, Biotite granodiorite.
262.0 - 262.1 Pegmatite dykelet.
262.1 - 264.2 Biotite Hornblende granodiorite.
264.2 - 264.3 Pegmatite dyke.
264.3 - 267.0 Biotite, Hornblende granodiorite.
267.0 - 267.1 Pegmatite dykelet.
267.1 - 270.5 Hornblende, Biotite granodiorite.
270.5 - 270.8 Pegmatite dyke.
270.8 - 275.0 Hornblende, Biotite granodiorite.
275.0 - 279.9 Hornblende granodiorite.
279.9 - 281.1 Pegmatite dykelet.
281.1 - 281.4 Biotite granodiorite.
281.4 - 285.0 Hornblende granodiorite.
285.0 - 300.0 Biotite, Hornblende granodiorite.
300.0 - 300.1 Pegmatite dykelet.
300.1 - 317.5 Biotite granodiorite.
317.5 - 319.2 Pegmatite dyke.
319.2 - 324.5 Biotite granodiorite.
324.5 - 333.0 Spodumene Pegmatite dyke, 8% spodumene.
333.0 - 350.0 Hornblende, Biotite granodiorite, syenitic facies.
350.0 - 350.1 Pegmatite dykelet.
350.1 - 350.6 Biotite granodiorite.
350.6 - 351.5 Pegmatite dyke.
351.5 - 359.3 Hornblende granodiorite, chloritized.
359.3 - 363.1 Pegmatite dyke.
363.1 - 363.4 Biotite granodiorite.
363.4 - 368.5 Hornblende granodiorite syenitic facies.
368.5 - 369.4 Pegmatite dyke.
369.4 - 375.0 Hornblende granodiorite, syenitic facies.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 59- 80°

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 34.0	Casing.
34.0 - 38.6	Pegmatite dyke 3% spodumene.
38.6 - 50.7	Hornblende biotite granodiorite.
50.7 - 53.3	Pegmatite dyke.
53.3 - 58.1	Hornblende granodiorite, syenitic facies.
58.1 - 59.1	Pegmatite dyke, pink feldspar.
59.1 - 65.3	Hornblende granodiorite, syenitic facies.
65.3 - 68.0	Gneiss dioritic.
68.0 - 72.1	Hornblende granodiorite, syenitic facies.
72.1 - 74.1	Gneiss dioritic.
74.1 - 75.0	Hornblende granodiorite.
75.0 - 100.0	Hornblende granodiorite syenitic facies.
100.0 - 105.4	" " " "
105.4 - 106.6	Pegmatite dyke.
106.6 - 106.8	Hornblende granodiorite.
106.8 - 109.7	Biotite schist.
109.7 - 122.6	Syenitic granodiorite.
122.6 - 123.5	Gneiss dioritic.
123.5 - 150.0	Syenitic granodiorite.
150.0 - 170.2	" "
170.2 - 176.9	Pegmatite dyke.
174.0 - 176.5	Spodumene 4%.
176.5 - 177.3	Biotite granodiorite.
177.3 - 177.8	Gneissic diorite.
177.8 - 178.2	Pegmatite intrusion.
178.2 - 181.0	Biotite granodiorite.
181.0 - 181.6	Gneiss dioritic.
181.6 - 183.2	Biotite granodiorite.
183.2 - 184.9	Gneiss dioritic.
184.9 - 186.3	Pegmatite dyke.
186.3 - 193.4	Gneiss dioritic.
193.4 - 194.9	Hornblende granodiorite.
194.9 - 195.7	Gneiss dioritic.
195.7 - 200.0	Hornblende granodiorite.
200.0 - 216.4	" "
216.4 - 222.0	Spodumene pegmatite dyke (3 - 4% spodumene.)
222.0 - 225.0	Biotite granodiorite.
225.0 - 237.3	Hornblende granodiorite.
237.3 - 263.1	<u>Spodumene Pegmatite dyke.</u>
263.1 - 285.8	Hornblende granodiorite.
285.8 - 286.0	"
286.0 - 286.2	Pegmatite dykes.
286.2 - 286.0	Biotite granodiorite.
288.0 - 288.8	Pegmatite dyke
	288.8 - 300.0 Biotite granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 60 -77°

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	
Elevation :	

0.0 - 45.0 Casing.
45.0 - 430.0 Hornblende Biotite granodiorite, medium grained., syenite from 45.0 - 80.4./ 343.8 - 346.3.

Pegmatite dykelet described as follow:

80.4	80.7	Pegmatite dykelet.
97.1	- 97.3	" "
120.9	- 121.8	" "
130.4	- 130.6	" "
148.7	- 148.9	" "
156.8	- 167.0	" "
171.6	- 172.0	" "
172.9	- 173.1	" "
178.7	- 179.2	" "
196.0	- 196.4	" "
217.7	- 218.6	" some spodumene.
267.9	- 268.4	" "
274.2	- 275.2	" "
314.3	- 314.8	" "
319.7	- 326.4	Pegmatite vein. = 10% Contact 60°.
326.4	- 343.8	" dykelet.
343.8	- 346.3	" "

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 61 - 50°

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 62.0 Casing.
62.0 - 75.0 Hornblende granodiorite.
75.0 - 90.8 Syenite.
90.8 - 91.1 Basic intrusion.
91.1 - 115.0 Hornblende granodiorite, syenitic facies.
115.0 - 117.0 More basic hornblende granodiorite.
117.0 - 120.9 Hornblende granodiorite.
120.9 - 121.0 Pegmatite dykelet, pink feldspar.
121.0 - 122.0 More basic Hornblende granodiorite.
122.0 - 126.2 Hornblende granodiorite, syenitic facies.
126.2 - 129.1 Pegmatite dyke with 3% spodumene.
Very fine to big crystals of spodumene.
129.1 - 129.5 Biotite granodiorite.
129.5 - 160.5 Hornblende granodiorite with syenitic facies.
160.5 - 161.8 Basic diorite, altered, some fluorite threads.
161.8 - 166.5 Hornblende Biotite granodiorite.
166.5 - 166.6 Pegmatite dykelet.
166.6 - 168.4 Hornblende Biotite granodiorite.
168.4 - 168.6 Pegmatite dykelet.
168.6 - 175.0 Hornblende Biotite granodiorite.
175.0 - 196.0 " " "
with syenitic facies.
196.0 - 200.1 Pegmatite dyke.
200.1 - 201.7 Biotite granodiorite.
201.7 - 210.7 Hornblende granodiorite.
210.7 - 212.1 Biotite schist.
212.1 - 213.3 Biotite granodiorite.
213.3 - 213.4 White feldspar.
213.4 - 214.3 Biotite granodiorite.
214.3 - 218.5 Hornblende Biotite granodiorite.
218.5 - 219.6 Gneissic hornblendite.
219.6 - 225.0 Hornblende granodiorite, syenitic facies.
225.0 - 227.3 Pegmatite dyke.
227.3 - 233.3 Hornblende granodiorite.
233.3 - 233.4 Basic segregation.
233.4 - 233.6 Biotite granodiorite.
233.6 - 233.7 Pegmatite dykelet.
233.7 - 240.5 Hornblende granodiorite.
240.5 - 240.6 Aplitic dykelet.
240.6 - 241.1 Biotite granodiorite.
241.1 - 250.0 Hornblende "
250.0 - 259.2 Hornblende granodiorite, syenitic facies.
259.2 - 259.3 Aplitic dykelet.
259.3 - 268.5 Hornblende granodiorite.

(Cont. SB - 61).

268.5 - 269.3	Biotite schist.
269.3 - 269.7	Biotite granodiorite.
269.7 - 277.8	Pegmatite dyke 2% spodumene.
277.8 - 278.1	Biotite granodiorite.
278.1 - 278.8	Pegmatite dyke.
278.8 - 279.3	Gneissic hornblendite.
279.3 - 285.0	Mixed granodiorite and basic intrusions.
285.0 - 286.4	Gneissic hornblendite.
286.4 - 292.1	Hornblende granodiorite.
292.1 - 293.4	Pegmatite dyke.
293.4 - 293.8	Biotite granodiorite.
293.8 - 300.0	Hornblende granodiorite.
300.0 - 301.7	Biotite granodiorite.
301.7 - 303.6	Pegmatite dyke.
303.6 - 311.7	Hornblende, Biotite granodiorite.
311.7 - 311.9	Pegmatite dykelet.
311.9 - 314.0	Hornblende Biotite granodiorite.
314.0 - 317.1	Pegmatite dyke.
317.1 - 322.2	Biotite granodiorite.
322.2 - 325.4	Spodumene Pegmatite dykes, 12% spodumene.
325.4 - 330.0	Hornblende Biotite granodiorite.
330.0 - 344.7	Spodumene Pegmatite dyke, 15% spodumene.
344.7 - 350.0	Hornblende Biotite granodiorite.
350.0 - 353.5	Hornblende Biotite granodiorite.
353.5 - 364.7	Spodumene Pegmatite dyke, 15% spodumene.
364.7 - 365.1	Biotite, Hornblende granodiorite.
365.1 - 365.6	Pegmatite dyke.
365.6 - 367.1	Hornblende Biotite granodiorite.
367.1 - 384.8	Spodumene Pegmatite dyke, 15% spodumene.
384.8 - 392.0	Biotite granodiorite.
392.0 - 392.5	Basic diorite segregation.
392.3 - 397.6	Hornblende granodiorite.
397.6 - 398.5	Pegmatite dyke.
398.5 - 413.5	Hornblende granodiorite.
413.5 - 413.8	Pegmatite dykelet.
413.8 - 419.9	Hornblende granodiorite.
419.9 - 430.0	Pegmatite dyke.
430.0 - 431.0	Biotite granodiorite.
431.0 - 431.2	Biotite schist.
431.2 - 431.8	Pegmatite dyke.
431.8 - 435.0	Biotite granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-62

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 56.0

Piping.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 63 ---

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by:
Dip :	
Depth :	
Elevation :	

0.0 - 53.0	Casing.
53.0 - 75.0	Hornblende granodiorite.
75.0 - 80.6	" "
80.6 - 92.5	" " Facies syenitic.
92.5 - 93.0	Pegmatite dykelet with pink feldspar.
93.0 - 100.0	Hornblende syenite. Facies syenitic.
100.0 - 116.6	Hornblende " " "
116.6 - 118.7	Some hornblende microdiorite.
118.7 - 119.9	H.S. Facies syenitic.
119.9 - 120.5	Pegmatite dyke. White spodumene?
120.5 - 125.0	Hornblende granodiorite.
125.0 - 127.2	Biotite syenite.
127.2 - 128.3	Pegmatite dyke. Traces of spodumene.
128.3 - 131.0	Biotite granodiorite.
131.0 - 135.0	Hornblende Biotite granodiorite.
135.0 - 135.4	Biotite granodiorite.
135.4 - 143.0	Pegmatite granulitic dyke. 1% spodumene.
143.0 - 145.1	Hornblende granodiorite.
145.1 - 145.3	Pegmatite dykelet. Traces of spodumene.
145.3 - 148.1	Hornblende granodiorite.
148.1 - 148.5	Altered hornblende diorite.
148.5 - 150.0	Hornblende granodiorite.
150.0 - 152.4	Hornblende biotite granodiorite.
152.4 - 152.7	Pegmatite dykelet.
152.7 - 157.7	Biotite granodiorite.
157.7 - 157.9	Pegmatite dykelet.
157.9 - 159.7	Biotite granodiorite.
159.7 - 160.0	Pegmatite dykelet. Traces of spodumene.
160.0 - 166.5	Biotite granodiorite.
166.5 - 167.0	Pegmatite dykes.
167.0 - 175.0	Biotite hornblende. Altered chloritized threads of fluorite.
175.0 - 176.1	Biotite hornblende.
176.1 - 177.7	Pegmatite dykelet. Traces of spodumene.
177.7 - 180.7	Biotite hornblende. Altered chloritized with fluorite threads.
180.7 - 182.0	Pegmatite dykelet, traces of spodumene.
182.0 - 188.6	Biotite hornblende, with some granodiorite. Contact 30° & 35°.
188.6 - 189.1	Pegmatite dykelet, very low spodumene.
189.1 - 192.5	Biotite hornblende, some fluorite threads.
192.5 - 198.0	Gneissic hornblende microdiorite, at first contact fluorite threads. Contact 20°.
198.0 - 203.2	Hornblende granodiorite. Contact 40°.
203.2 - 236.1	Hornblendite altered very fine disseminated pyrite.
236.1 - 247.8	Peridotite with magnetite inclusions.

(Cont. SB - 63).

247.8 - 250.3	Biotite hornblende. Contact 50°.
250.3 - 291.8	Hornblendite, very fine disseminated pyrite.
291.8 - 311.2	Peridotite.
311.2 - 313.6	Hornblendite.
313.6 - 314.1	Pegmatite dykelet.
314.1 - 316.7	Peridotite.
316.7 - 317.3	Pegmatite dykelet.
317.3 - 326.0	Hornblendite schist.
326.0 - 327.1	Gneissic hornblende diorite.
327.1 - 327.6	Diorite granodiorite.
327.6 - 349.5	Hornblendite.
349.5 - 350.0	Biotite granodiorite.
350.0 - 353.5	Gneissic hornblende diorite.
353.5 - 362.9	Biotite granodiorite.
362.9 - 363.5	Pegmatite dykelet, traces of spodumene.
363.5 - 365.0	Biotite granodiorite.
365.0 - 369.4	Hornblendite, contact 80°.
369.4 - 370.2	Diorite hornblende.
370.2 - 374.2	Peridotite.
374.7 - 401.0	Diorite hornblende.
401.0 - 405.6	Hornblende, fluorite threads.
405.6 - 410.6	Granodiorite. Biotite.
410.6 - 425.3	Hornblendite, fine disseminated pyrite.
425.3 - 455.9	Spodumene, pegmatite dyke, medium grained crystals. 15° angle. Altered granulitic pegmatite rock: (contact alteration) white, grey fine quartz and feldspar crystals; some lepidolite, muscovite and spodumene fine grained threads of fluorite and traces of pyrite gneissic facies.
455.9 - 474.6	Diorite hornblende.
474.6 - 475.8	Peridotite.
475.8 - 480.2	Diorite hornblende.
480.2 - 488.3	Pegmatite dykelet. Contact 40°.
488.3 - 488.6	Diorite hornblende.
488.6 - 489.6	Pegmatite dykelet.
489.6 - 490.6	Diorite hornblende.
490.6 - 493.6	Pegmatite dykelet.
493.6 - 493.8	Diorite hornblende.
493.8 - 552.0	

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 64 ---

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 27.0 Casing.
27.0 - 28.9 Hornblende biotite granodiorite.
28.9 - 32.5 Pegmatite dyke, medium grained feldspar 70%.
32.5 - 42.8 Hornblende biotite granodiorite.
42.8 - 49.8 Pegmatite dyke.
49.8 - 61.4 Hornblende biotite granodiorite.
61.4 - 80.2 Pegmatite dyke 15° contact angle, pinkish feldspar, some garnets, not spodumene.
80.2 - 105.2 Hornblende granodiorite, syenitic facies.
105.2 - 139.5 Pegmatite dyke 30° contact angle, 15% spodumene from 108.0 - 125.0.
139.5 - 140.0 Hornblende biotite granodiorite.
140.0 - 145.3 Pegmatite dyke, reddish, 5% spodumene.
145.3 - 150.0 Hornblende biotite granodiorite.
150.0 - 150.4 " "
150.4 - 154.5 Pegmatite dyke,
154.5 - 180.2 Hornblende granodiorite syenitic facies.
180.2 - 180.7 Pegmatite dykelet 50° contact angle.
180.7 - 185.8 Hornblende granodiorite syenitic facies.
185.8 - 194.7 Pegmatite dyke, 4% spodumene, mostly smoky quartz, 30° C. angle.
194.7 - 198.9 Biotite hornblende granodiorite.
198.9 - 200.2 Pegmatite dyke.
200.2 - 203.2 Hornblende granodiorite (203.2)
"/" Pegmatite dyke.
203.2 - 204.1 Hornblende granodiorite syenitic facies, fresh type.
204.1 - 225.0 " "
225.0 - 250.0 241.1 - 241.6 Pegmatite dykelet.
250.0 - 255.2 Hornblende granodiorite, syenitic facies.
255.2 - 257.0 Biotite granodiorite.
257.0 - 271.5 Hornblende granodiorite, syenitic facies (271.5)
271.5 - 273.4 Pegmatite dyke, granulitic, mostly medium grained pink feldspar, 30° contact angle.
273.4 - 282.3 Hornblende granodiorite.
282.3 - 282.8 Pegmatite dykelet, 30° contact angle.
282.8 - 287.6 Altered hornblende granodiorite.
287.6 - 304.6 Pegmatite dyke, contact angle 30°, spodumene crystals 80° with the core direction.
288.6 - 293.0, 10 - 15% spodumene
298.0 - 300.0, 10 - 15% "
300.0 - 303.0, 8% spodumene

(Cont. SB- 65).

304.6 - 325.0 Hornblende granodiorite.
325.0 - 410.0 Syenite with interbedded granodiorite.
410.0 - 425.0 Hornblende granodiorite.
425.0 - 450.0 Hornblende granodiorite syenitic facies.
450.0 - 475.0 " " " "
with some inter bedded biotite schist.
475.0 - 525.0 "
575.0 - 600.0 Syenite
600.0 - 625.0 "
625.0 - 650.0 Hornblende granodiorite, syenitic facies.
650.0 - 700.0 "
700.0 - 725.0 Hornblende granodiorite.
725.0 - 750.0 Syenite.

734.3 - 735.0 45° contact angle, pegmatite dykelets, white
738.3 - 739.2 feldspar, some spodumene and biotite.
740.0 - 742.6

750. 0- 775.0 Syenite.
775.0 - 784.9 Hornblende biotite granodiorite.
784.9 - 813.0 Spodumene Pegmatite dyke (8% spodumene, very fine crystals
(1 - 3 /m), white, partly greenish spodumene some lepidolite
and yellowish sphalerite crystals, 45° contact angle.
813.0 - 825.0 Hornblende granodiorite syenitic facies.
825.0 - 845.0 "

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE — SB - 65

Latitude :
 Departure :
 Direction :
 Dip :
 Depth :
 Elevation :

Started :
 Finished :
 Logged by :

0.0 - 45.0	Casing.
45.0 - 69.4	Biotite hornblendite, granodiorite ?
69.4 - 75.1	Hornblendite granodiorite.
74.1 - 74.7	Pegmatite dykelet.
74.7 - 78.1	Biotite granodiorite.
78.1 - 146.8	Biotite hornblendite, granodiorite ? with numerous red feldspat speks.
146.8 - 148.0	Pegmatite dykelet. Traces of spodumene.
148.0 - 173.6	Biotite hornblende.
173.6 - 175.0	Silicic microdiorite.
175.0 - 177.5	Biotite hornblende.
177.5 - 183.2	(Biotite hornblende.) Pegmatite dykelet 10% spodumene. Contact 30° & 80°.
183.2 - 183.9	Pegmatite dykelet, 8% spodumene. Contact 30° & 25°.
185.3 - 185.8	Biotite hornblende.
185.8 - 186.3	Pegmatite dykelet. Traces of spodumene.
186.3 - 187.6	50% Diorite with 50% Vein material.
187.6 - 188.3	Pegmatite dykelet. Traces of spodumene.
188.3 - 192.8	Microdiorite more or less silicic of fluorite.
192.8 - 198.4	Pegmatite dykelet. 10% spodumene.
198.4 - 202.8	Biotite hornblende.
202.8 - 203.6	Pegmatite dykelet, 5% spodumene. Contact 75° & 60°.
203.6 - 214.2	Hornblende granodiorite.
214.2 - 219.2	Granodiorite.
219.2 - 224.7	Biotite Hornblende.
224.7 - 225.3	Pegmatite dykelet.
225.3 - 243.2	Biotite hornblende.
243.2 - 252.8	Pegmatite dyke, 25% spodumene. Contact 50° & 60°.
252.8 - 271.9	Biotite Hornblende.
271.9 - 272.2	Pegmatite dykelet.
272.2 - 286.4	Biotite hornblende, some granodiorite.
286.4 - 286.6	Pegmatite dykelet, traces of spodumene.
286.6 - 289.6	Biotite hornblende granodiorite.
289.6 - 290.2	Pegmatite dykelet. Traces of spodumens.
290.2 - 290.6	Biotite hornblende granodiorite.
290.6 - 290.9	Pegmatite dykelet.
290.9 - 305.7	Biotite hornblende granodiorite.
305.7 - 313.5	Pegmatite dyke, 15% to 20% spodumene.
313.5 - 356.8	Biotite hornblende granodiorite.
336.8 - 337.2	Pegmatite dykelet.
337.2 - 339.2	Biotite hornblende.
339.2 - 340.0	Pegmatite dykelet. Traces of spodumene.
340.0 - 369.6	Biotite hornblende granodiorites.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE - SB - 66.

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by:

0.0 - 31.0	Casing.
31.0 - 33.9	Spodumene, pegmatite dyke , 3% spodumene, 50° angle Contact.
33.9 - 50.0	Hornblende biotite granodiorite.
50.0 - 67.4	" " "
67.4 - 90.7	Spodumene pegmatite dyke 12- 15% spodumene, 50° contact angle.
90.7 - 116.8	Hornblende granodiorite syenitic facies.
116.8 - 120.5	Spodumene pegmatite dyke 1% spodumene; 30° Contact angle.
120.5 - 134.0	Biotite, hornblende granodiorite.
134.0 - 137.8	Reddish pegmatite dyke, mostly feldspar.
137.8 - 150.0	Hornblende granodiorite.
150.0 - 159.6	Hornblende granodiorite, sysnitic facies.
159.6 - 160.0	Biotite schist.
160.0 - 162.0	Hornblende granodiorite, syenitic facies.
162.0 - 162.9	Biotite schist.
162.9 - 166.6	Hornblende granodiorite, syenitic facies.
166.6 - 167.2	Biotite schist.
167.2 - 175.0	Hornblende granodiorite syenitic facies.
175.0 - 225.0	Hornblende granodiorite, syenitic facies.
225.0 - 275.0	209.3 - 209.6 Pegmatite dykelet, 30° Contact angle. Hornblende granodiorite sysnitic facies.
275.0 - 302.0	252.6 - 254.5 Pegmatite dykelet.
302.0 - 302.5	Hornblende granodiorite.
302.5 - 303.6	Pegmatite dykelet, 40° Contact angle.
303.6 - 303.9	Hornblende granodiorite.
303.9 - 310.2	Pegmatite dyke, 40° Contact angle.
310.2 - 310.7	Hornblende granodiorite.
310.7 - 320.5	Pegmatite dyke, 40° Contact angle.
320.5 - 321.0	Hornblende granodiorite.
321.0 - 329.0	Pegmatite dykelet, 30° Contact angle.
329.0 - 329.7	Hornblende granodiorite.
329.7 - 342.8	Pegmatite dyke 30° Contact angle.
342.8 - 351.5	Hornblende granodiorite.
351.5 - 357.3	Spodumens pegmatite dyke 7% spodumene.
357.3 - 362.8	Hornblende granodiorite.
362.8 - 373.4	Spodumens pegmatite dyks 4% Spodumene.
373.4 - 381.8	Hornblende granodiorite sysenitic facies.
	Spodumens dyke 8% spodumene, 50° Contact angle.

(CONT. SB-66)

381.8 - 392.0 Hornblende granodiorite.
392.0 - 392.7 Pegmatite dyke.
392.7 - 400.0 Hornblende granodiorite.
400.0 - 413.4 Biotite granodiorite.
413.4 - 416.0 Pegmatite dyke 15° contact.
416.0 - 418.9 Biotite granodiorite.
418.9 - 425.7 Spodumene Pegmatite dyke, 7% spodumene. 55° Contact angle.
425.7 - 426.2 Hornblende granodiorite.
426.2 - 427.2 Pegmatite dyke 15° contact angle.
427.2 - 436.8 Hornblende granodiorite.
436.8 - 443.7 Spodumene pegmatite dyke 5% spodumene. 50° contact angle.
443.7 - 447.8 Hornblende granodiorite.
447.8 - 448.4 Pegmatite dyke. 45° contact angle.
448.4 - 449.0 Hornblende granodiorite.
449.0 - 452.0 Lost core.
452.0 - 469.2 Hornblende granodiorite.
469.2 - 475.4 Spodumene pegmatite dyke 2% spodumene.
475.4 - 479.1 Biotite hornblende granodiorite.
479.1 - 502.1 Spodumene pegmatite dyke. 15° contact angle. Traces of spodumene.
502.1 - 550.0 Hornblende granodiorite syenitic facies.
550.0 - 570.3 533.6 - 534.0, 30° contact angle, pegmatite dyke.
570.3 - 576.0 Hornblende granodiorite syenitic facies.
576.0 - 577.0 Pegmatite dyke.
577.0 - 581.0 Lost core.
581.0 - 603.7 Hornblende granodiorite.
603.7 - 617.8 Spodumene pegmatite dyke, 4% spodumene.
617.8 - 618.6 Hornblende granodiorite, 60° contact angle.
618.6 - 635.4 Pegmatite dyke, 15° contact angle.
635.4 - 636.2 Hornblende granodiorite.
636.2 - 639.1 Spodumene pegmatite dyke, 1% spodumene.
639.1 - 640.7 Hornblende granodiorite.
640.7 - 643.5 Pegmatite dyke. 40° contact angle.
Hornblende granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB- 67--.

Latitude :
 Departure :
 Direction :
 Dip :
 Depth :
 Elevation :

Started :
 Finished :
 Logged by :

0.0 - 22.0	Casing.
22.0 - 35.5	Syenite, course grained.
35.5 - 36.5	Biotite hornblendite.
36.5 - 36.9	Pegmatite dykelet.
36.9 - 103.0	Hornblendite, granodiorite.
103.0 - 126.1	Biotite hornblendite.
126.1 - 131.9	Syenite, course grained.
131.9 - 137.3	Biotite granodiorite.
137.3 - 139.2	Hornblende diorite.
139.2 - 150.0	
150.0 - 153.1	Syenite.
153.1 - 153.6	Microdiorite.
153.6 - 156.7	Diorite. Locally syenite.
156.7 - 158.0	Micaschist.
158.0 - 186.3	Hornblende granodiorite.
186.3 - 186.7	Pegmatite dykelet.
186.7 - 202.3	Hornblende granodiorite.
202.3 - 202.9	Granodiorite syenite.
202.9 - 210.7	
211.7 - 219.1	Biotite granodiorite.
219.1 - 225.0	Granodiorite. Locally diorite.
225.0 - 226.3	Microdiorite.
226.3 - 233.5	Biotite hornblende.
233.5 - 234.2	Microdiorite.
234.2 - 267.3	Granodiorite.
267.3 - 267.8	Pegmatite dykelet.
267.8 - 290.0	Granodiorite.
290.0 - 292.7	Gneissic hornblende.
292.7 - 300.0	" syenite.
300.0 - 306.8	Syenite.
306.8 - 324.7	Biotite granodiorite.
324.7 - 325.6	Pegmatite dykelet. Contact 50°. 7% spodumene.
325.6 - 327.2	Pegmatite dykelet parallel to core, is in contact with granodiorite, 5% spodumene.
327.2 - 327.7	Granodiorite.
327.7 - 346.6	Pegmatite dyke very well. Contact 55°, 25% spodumene.
346.6 - 349.3	Silicious micro hornblendite.
349.3 - 349.6	Pegmatite dykelet.
349.6 - 350.1	Granodiorite.
350.1 - 356.3	
356.3 - 358.8	Granodiorite hornblendite.
358.8 - 359.2	Hornblende granodiorite.

359.3 - 361.0 Gneissic hornblende.
361.0 - 366.3 Hornblende granodiorite.
366.3 - 369.4 Gneissic Hornblende.
369.4 - 382.4 Granodiorite.
382.4 - 385.7 Micro hornblendite.
385.7 - 387.6 Pegmatite dykelet. Contact 90°, 4% Spodumene.
387.6 - 394.0 Micro hornblendite, with some granodiorite.
394.0 - 394.7 Pegmatite. Contact 40°, 10% Spodumens.
399.7 - 402.6 Micro diorite. Contact 80°.
402.6 - 425.0 Hornblende. Syenitic with diorite.
425.0 - 454.4 Biotite hornblende.
454.4 - 474.0 Granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-- 68--.

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 50.0 Casing.
50.0 - 74.0 Hornblends granodiorite syenitic facies.
74.0 - 80.6 Amphibolite ?
80.6 - 127.5 Hornblende granodiorite, syenitic facies.
127.5 - 129.5 Pegmatite dyke, reddish feldspar 15° contact angle.
129.5 - 130.2 Biotite granodiorite.
130.2 - 133.5 Pegmatite dyke, 2% spodumene, 15° contact angle.
133.5 - 135.1 Biotite granodiorite.
135.1 - 152.8 Spodumens Pegmatite dyke 8-10% spodumens, 50° contact angle.
162.8 - 160.7 Hornblende granodiorite syenitic facies.
160.7 - 162.6 Pegmatite dyke, 30° contact angle.
162.6 - 175.0 Hornblende granodiorite syenitic facies.
175.0 - 199.3 Hornblende granodiorite.
199.3 - 200.0 Lost core.
200.0 - 275.0 Hornblende granodiorite syenitic facies.

236.2 - 236.8 Pegmatite dyke.
243.6 - 244.2
264.5 - 265.8

275.0 - 278.0 Hornblende granodiorite syenitic facies.
278.0 - 278.8 Pegmatite dyke, 30° contact angle.
278.8 - 290.2 Hornblende granodiorite.
290.2 - 318.1 Spodumene pegmatite dyks, 40° contact angle, 5% spodumene.
318.1 - 350.6 Hornblende granodiorite.
341.6 - 342.3 Hornblende granodiorite syenitic facies.
350.6 - 364.7 Pegmatite dyke. traces of spodumene, 35° contact angle.
364.7 - 387.6 Hornblende granodiorite.
387.6 - 391.2 Pegmatite dyke, 30° contact angle.
391.2 - 400.0 Hornblende granodiorite, syenitic facies.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-69

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 27.2
27.2 - 241.2

Casing.

Hornbl-biotite granodiorite, with quartz-feldspar dykelets at:

37.2 - 37.8
47.6 - 48.7
49.2-49.8
60.8 - 61.6
67.3 - 69.9
98.3 - 98.6
100.6 - 101.2
109.3 - 109.4
133.2 - 135.1
141.5 - 145.3, pinkish, traces of spodumene.
154.7 - 157.6, whitish, cut at 50°, with little
spodumene, fine-grained crystals.
171.7 - 172.5, whitish, little spodumene.
184.9 - 185.6, whitish, cut at 40°, spodumene.
193.3 - 194.1,
195.6 - 197.3
203.2 - 204.4
207.0 - 209.9

and hornblendite at

132.7 - 133.2 schistoid
135.1 - 135.5
136.3 - 136.6

lost core 120.0 - 121.1, 135.5 - 136.3, 136.6- 137.8.

241.2 - 261.7
261.7 - 299.1

Spodumene pegmatite dyke.

Hornbl-biotite granodiorite, with quartz-feldspar injections or
dykelets at: 276.7 - 276.8
280.0 - 280.1
286.2 - 286.3
286.7 - 287.6, spodumene.
293.3 - 294.0
295.1 - 295.2
296.1 - 296.3

299.1 - 307.8

Spodumene Pegmatite dyke.

(Cont. SB- 69)

307.8 - 372.3 Hornbl-biotite granodiorite, with quartz-feldspar injections or dykelets at:

321.5 - 321.8 spodumene.

323.0 - 323.1

324.7 - 327.9 rich in spodumene, cut at 15°.

328.6 - 329.0 traces of spodumene

333.2 - 338.9

337.9 - 338.0

341.8 - 342.9

349.5 - 351.4

355.4 - 356.8

357.5 - 358.0

Lost core:

120.0 - 121.1

135.5 - 136.3

136.6 - 137.8

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-70

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 5.0	Casing
5.0 - 26.4	Hornblende granodiorite., 2"30° pegmatite dykelet 16.8
26.4 - 40.1	Hornblendite partly gneissic 60°.
40.1 - 55.8	Hornblende granodiorite.
55.8 - 56.9	Pegmatite dyke 40° no spodumene.
56.9 - 67.4	Hornblende granodiorite.
67.4 - 74.4	Hornblendite 25°.
74.4 - 77.0	Hornblende granodiorite.
77.0 - 81.2	Diorite dyke fins grained 40°.
81.2 - 95.8	Hornblende granodiorite.
95.8 - 99.0	Hornblende micaschist.
99.0 - 102.4	Biotite granodiorite.
102.4 - 107.3	Pegmatite dyke, 25° medium grained, reddish, no spodumene.
107.3 - 108.0	Biotite schist 70°.
108.0 - 127.7	Biotite hornblende granodiorite.
127.7 - 134.7	Reddish 126.0 - 127.7
134.7 - 152.8	Pegmatite dyke 50°, with 80° green medium grained spodumene, 14%, low apodumene, 127.7 - 128.8, 133.3 - 134.7.
152.8 - 156.5	Hornblende granodiorite.
156.5 - 184.7	Hornblendite 60° - 30°.
	Hornblende granodiorite.
	6" hornblendite 158.3
	4" 30° pegmatite 160.0
	2" " " 180.5
184.7 - 188.6	Hornblendite 60° with granodiorite inclusion.
188.6 - 192.8	Hornblende granodiorite altered.
192.8 - 194.0	Hornblendite 70°.
194.0 - 199.3	Hornblende granodiorite altered.
199.3 - 205.5	Biotite schist 70°.
205.5 - 224.8	Hornblende granodiorite partly gneissic.
224.8 - 239.4	Biotite schist.
239.4 - 250.0	Hornblendite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-71

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 15.0
15.0 - 331.3

Casing.

Hornbl-biotite granodiorite with quartz-feldspar dykelets at:

15.0 - 15.2
17.2 - 19.6
22.7 - 25.4
37.3 - 45.8
80.0 - 80.4
82.4 - 87.3
88.4 - 88.6
93.8 - 98.1
109.1 - 109.4
112.5 - 113.0
115.3 - 116.0
118.3 - 120.0
122.1 - 122.3
125.8 - 127.3
127.6 - 127.8
129.5 - 129.8
136.9 - 137.0
137.1 - 137.2
144.6 - 150.0
149.1 - 149.4
179.7 - 182.8

whitish, little fine-gr.

crystals.

225.4 - 228.8 whitish, little fine-gr.
spodumene crystals.

271.0 - 272.6

little spodumene.

278.0 - 278.1
282.0 - 282.1
291.5 - 291.6
320.1 - 324.0

whitish, little fine-gr.
spodumene crystals.

324.5 - 324.7

and Hornblendite at:

100.0 - 100.6
100.6 - 101.7

and fine-gr. dioritic phase of granodiorite at:

68.5 - 69.9
108.1 - 109.0
250.9 - 251.3
288.5 - 289.5

Lost core: 98.1 - 100.0, 101.7- 103.4

331.3 - 364.9 Spodumene Pegmatite dyke, grade L420.

364.9 - 367.0 Hornbl-biotite granodiorite.

367.0 - 370.0 Spodumene Pegmatite dyke.

370.0 - 448.0 Hornbl-biotite granodiorite, with quartz-feldspar injections or
375.2-375.4, 378.1-378.8 whitish, rich in spodumene.
381.3-381.5, 384.4-385.5, 393.3-395.0, 433.7-433.8. END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-72

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by:

0.0 - 15.0	Casing.
15.0 - 20.0	Hornblende granodiorite.
20.0 - 30.0	Biotite schist.
30.0 - 31.0	Quartz veinulet.
31.0 - 50.0	Hornblende granodiorite. 39.7 - 42.0 Hornblende, biotite schist. 44.6 - 45.7 Biotite schist.
50.0 - 75.0	Interbedded gneissic diorite, biotite schist and granodiorite; some pyrite.
75.0 - 86.6	Biotite, hornblende granodiorite. 75.4 - 76.8 Biotite schist.
86.6 - 100.6	Pegmatite dyke; pinkish feldspar, mostly quartz.
100.6 - 133.2	Hornblendite, quartz diorite (gneissid), biotite schist and granodiorite.
133.2 - 134.0	Hornblende granodiorite syenitic facies.
134.0 - 135.2	Pegmatite dykes, pinkish feldspar.
135.2 - 149.2	Syenite.
149.2 - 152.3	Biotite schist.
152.3 - 158.0	Talc with magnatite (transformed peridotite?)
158.0 - 167.4	Spodumene pegmatite dyke, 0.90% Li ₂ O.
167.4 - 225.0	Hornblende biotite granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SE- 73

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 68.0
68.0 - 234.5

Casing.

Hornblende-granodiorite, with quartz-feldspar dykelets at:

68.4 ~ 69.4
123.2 - 127.0 with traces of spodumene at 123.6.
133.9 - 135.9 with little spodumene.
136.5 - 137.2 with traces of spodumene.
142.5 - 143.2
147.2 - 149.1
154.0 - 155.5 with little spodumene.
157.9 - 158.2
167.9 - 168.2
175.1 - 176.2 with fair spodumene.
187.9 - 192.0 with fair amount of spodumene.
195.9 - 196.1
210.8 - 214.7 with little spodumene.
219.0 - 222.7
226.3 - 227.7

234.5 - 245.2

Spodumene Pegmatite dyke good medium-gr. crystals, regular dissemination.

245.2 - 342.5

Hornbl-granodiorite, with quartz-feldspar injections at:

253.8 - 255.0
262.0 - 262.8
265.0 - 264.1
272.4 - 272.8

342.5 - 350.2

Spodumene Pegmatite dyke, irregular dissemination, good from 345.0 - 348.6, grade Li2O.

350.2 - 391.5

Hornbl-granodiorite, with quartz-feldspar injections at:

353.2 - 353.5
361.0 - 361.2

391.5 - 426.2

Spodumene Pegmatite dyke.

426.2 - 525.0

Hornblende-granodiorite, with quartz-feldspar injections at:

463.2 - 464.9
468.6 - 468.8
484.2 - 484.5
488.5 - 488.7
507.4 - 507.9
518.8 - 520.1

and hornblende concentrations at:

445.7 - 446.4
495.9 - 496.5
510.8 - 511.3

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-74

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 67.8 Piping.
67.8 - 83.8 Hornblende granodiorite altered & reddish.
83.8 - 84.8 Pegmatite dyke 80°, reddish, some spodumene crystals.
84.8 - 87.6 Hornblende granodiorite altered.
87.6 - 93.2 - Pegmatite dyke 25° reddish, traces of spodumene.
93.2 - 99.0 Pegmatite dyke, with feldspar, 10% coarse spodumene at 30°.
99.0 - 103.5 Pegmatite dyke -40° reddish, traces of spodumene.
103.5 - 112.1 Hornblende granodiorite altered reddish.
112.1 - 121.1 Pegmatite dyke 40° - 20°, reddish feldspar, traces of spodumene.
121.1 - 187.0 Hornblende granodiorite altered.
187.0 - 234.3 Pegmatite dyke 10° - low 7 red. feldspar, traces of spodumene.
l.c. 207.2 - 210.0, 217.4 - 220.0, 224.5 - 227.6, 5% spodumene
211.2 - 212.0, cut at 30°.

234.3 - 235.0 Lost core.
235.0 - 272.6 Hornblende granodiorite altered.
l.c. 236.4 - 240.0, 246.9 - 250.0,
20° pegmatite dyke 258.0 - 259.1,

272.6 - 282.9 Pegmatite dyke 20°, reddish with 5% medium grained, spodumene cut
at 70°.

282.9 - 325.0 Hornblende granodiorite altered.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-75

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 50.0	Casing.
50.0 - 75.0	Hornblende syenite medium grained crystals of pinkish feldspar and green hornblends.
75.0 - 94.5	Altered hornblende syenite, partly grading in to hornblende, biotite granodiorite; some basic segregations.
94.5 - 104.0	Pegmatite dyke; pink feldspar, smoky quartz.
104.0 - 112.0	Biotite hornblende granodiorite.
112.0 - 114.9	Pegmatite dyke.
114.9 - 117.0	Biotite granodiorite.
117.0 - 130.3	Pegmatite dyke; white, greenish to pinkish feldspar (60%), mostly quartz some reddish garnets, traces of spodumene.
130.3 - 135.0	Biotite granodiorite.
135.0 - 136.0	Pegmatite dykelet.
136.0 - 137.6	Biotite granodiorite.
137.6 - 139.6	Pegmatite dyke.
139.6 - 141.4	Biotite granodiorite.
141.4 - 141.7	Pegmatite dyke.
141.7 - 150.0	Altered hornblende syenite.
150.0 - 175.0	Hornblende syenite fresh type.
175.0 - 200.0	Hornblende granodiorite.
200.0 - 214.0	Hornblende granodiorite fresh type.
214.0 - 215.8	Hornblende schist.
215.8 - 225.0	Hornblende granodiorite, syenitic facies.
225.0 - 226.8	Altered hornblende granodiorite.
226.8 - 227.5	Biotite granodiorite.
227.5 - 231.4	Pegmatite dyke, traces of green spodumene.
231.4 - 232.3	Hornblende, Biotite granodiorite.
232.3 - 233.6	Hornblende schist.
233.6 - 234.5	Biotite granodiorite.
234.5 - 239.0	Pegmatite dyke.
239.0 - 244.6	Biotite granodiorite.
244.6 - 250.0	Hornblende granodiorite.
250.0 - 275.0	Altered Hornblende granodiorite, syenitic facies.
275.0 - 276.2	Biotite granodiorite.
276.2 - 294.1	Spodumene pegmatite dyke, fine crystals of greenish spodumene at 30° - 35° - 40°; 8% spodumene.
294.1 - 300.0	Altered hornblende granodiorite.
300.0 - 325.0	Hornblende granodiorite.
325.0 - 347.3	Hornblende granodiorite, syenitic facies.
347.3 - 347.7	Hornblende schist.
347.7 - 349.2	Hornblende syenitic facies.
349.2 - 352.0	Pegmatite dyke.
352.0 - 356.0	Altered, violet-greenish amphibolites, white feldspar, granodiorite.

(Cont. SB-75) .

356.0 - 356.6	Hornblende schist.
356.6 - 358.0	Altered granodiorite.
358.0 - 360.0	Biotite granodiorite.
360.0 - 365.6	Altered granodiorite.
365.6 - 367.7	Pegmatite dyke.
367.7 - 373.6	Altered granodiorite.
373.6 - 382.8	Spodumene pegmatite dyke; fine grained spodumene at 80° angle, 20%.
382.8 - 387.6	Altered granodiorite, violet amphybole.
387.6 - 397.6	Spodumene pegmatite dyke; fine grained greenish spodumene at 80° angle, 20%.
397.6 - 400.0	Altered granodiorite.
400.0 - 410.0	Violet greenish granodiorite.
410.0 - 415.0	Biotite, hornblende granodiorite.
415.0 - 425.0	Hornblende granodiorite, syenitic facies.
425.0 - 441.4	Hornblende syenite.
441.4 - 454.0	Altered granulitic pegmatitic rock (contact alteration), gneissic facies; some lepidolite biotite, threads of fluorite, pyrite and spodumene traces.
454.0 - 455.0	Pegmatite dyke.
455.0 - 465.0	Hornblende schist, fluorite threads, pyrite crystals.
465.0 - 477.7	Pegmatite dyke. Fine spodumene green crystals at 30° angle; 15% spodumene.
477.7 - 500.0	Hornblende, biotite, granodiorite, some basic segregations.
500.0 - 525.0	Hornblende granodiorite.
525.0 - 537.7	Hornblende granodiorite.
537.7 - 543.3	Hornblende schist.
543.3 - 550.0	Altered granodiorite.
550.0 - 561.0	Hornblende granodiorite.
561.0 - 580.8	Spodumene pegmatite dyke. Some big phenocrystals at 15° angle, $\frac{1}{2}$ " by 5" long. Fine crystals at 30° - 45°, 10% spodumene.
580.8 - 618.0	Hornblende granodiorite.
618.0 - 618.7	Biotite granodiorite.
618.7 - 627.6	Spodumene pegmatite dyke; white and green spodumene, very fine, 8° to 10%.
627.6 - 644.0	Hornblende granodiorite.
644.0 - 647.0	Spodumene pegmatite dyke, 1% spodumene, some garnets.
647.0 - 654.4	Hornblende granodiorite.
654.4 - 656.6	Pegmatite dyke.
656.6 - 659.6	Biotite, hornblende granodiorite.
659.6 - 667.3	Pegmatite dyke with hornblende granodiorite intrusions.
667.3 - 675.0	Hornblende granodiorite.
675.0 - 709.0	Hornblende granodiorite, syenitic facies.
675.7 - 676.2	Pegmatite dykelets.
697.2 - 698.2	

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-76

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by x:
Dip :	
Depth :	
Elevation :	

0.0 - 1.8	Casing.
7.8 - 47.7	Hornblende granodiorite.
47.7 - 52.3	Hornblendite gneissic 60°, little pyrite.
52.3 - 54.0	Hornblende granodiorite altered.
54.0 - 57.0	Biotite schist 30°.
57.0 - 58.6	Hornblende granodiorite with biotite schist.
58.6 - 81.3	Hornblende with some biotite schist 60° & granodiorite.
81.3 - 84.8	Hornblende granodiorite.
84.8 - 91.0	Hornblendite 50°.
91.0 - 94.2	Pegmatite dyke 60° - 40° with irr. 10% coarse gr. spodumene.
94.2 - 97.1	Hornblendite.
97.1 - 101.2	Hornblende granodiorite.
101.2 - 138.7	Biotite schist with hornblendite and granodiorite gneissic 60°, with a few pegmatite dykelets.
138.7 - 146.7	Hornblende granodiorite altered.
146.7 - 147.5	Pegmatite dyke 45° no spodumene.
147.5 - 186.0	Hornblendite 45° with biotite schist & gneissic granodiorite.
186.0 - 207.5	Pegmatite dyke 45° with 5% mica and traces of PBS & ZnS, traces of spodumene.
207.5 - 212.5	5% fine gr. green spodumene, 191.6 - 192.7
212.5 - 219.2	Biotite schist.
219.2 - 230.8	Pegmatite dyke 45°, some biotite and few visible spodumene crystals.
230.8 - 260.0	Biotite schist 45°. pegmatite dykelets 225.9 - 227.1, 229.8 - 230.5. Hornblende granodiorite, biotite schist 257.6 - 258.7

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-77

Latitude :
 Departure :
 Direction :
 Dip :
 Depth :
 Elevation :

Started :
 Finished :
 Logged by :

0.0 - 33.0	Casing.
33.0 - 35.5	Alternated hornblendite, biotite schist and feldspar veinules; altered partly and some pyrite mineralization.
35.5 - 48.8	Hornblende granodiorite.
48.8 - 49.1	Biotite schist.
49.1 - 50.0	Pegmatite dykelet.
50.0 - 80.0	Hornblende granodiorite.
80.0 - 99.0	Alternated hornblendite and biotite schist with some pyrite mineralization.
99.0 - 115.0	Biotite hornblende granodiorite.
107.4 - 108.0	Pegmatite dykelets.
108.6 - 109.0	Hornblende granodiorite syenitic facies.
115.0 - 125.0	Hornblende granodiorite.
125.0 - 135.0	Hornblende granodiorite syenitic facies.
135.0 - 149.3	Spodumene pegmatite dyke. Fine crystals of spodumene at 80°; 1.2 Li ₂ O: contacts at 30°
149.3 - 171.3	55°
171.3 - 175.9	Biotite hornblende granodiorite contact at 20° with pegmatite.
175.9 - 181.2	Spodumene pegmatite dyke Contacts 20° 55°.
181.2 - 183.7	Spodumene, fine crystals, 1.2 Li ₂ O.
183.7 - 189.2	Granodiorite (hornblende).
189.2 - 190.6	Altered hornblendite.
190.6 - 193.5	Hornblende granodiorite.
193.5 - 194.4	Altered hornblendite.
194.4 - 201.0	Hornblende granodiorite.
201.0 - 209.0	Biotite schist.
209.0 - 210.9	Hornblende granodiorite.
210.9 - 225.0	Hornblende granodiorite.
225.0 - 234.4	Biotite schist.
234.4 - 236.2	Hornblende, biotite granodiorite syenitic facies.
236.2 - 236.6	Biotite schist.
236.6 - 237.0	Hornblende, biotite granodiorite, syenitic facies.
237.0 - 244.7	Biotite schist.
244.7 - 245.5	Hornblende granodiorite.
245.5 - 246.9	Hornblende granodiorite.
246.9 - 248.7	Hornblendite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-78

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 37.0	Casing
37.0 - 61.0	Pegmatite dyke - 60° whitish feldspar irr. spodumene, some cut at low and some at 60%, 12% spodumene.
61.0 - 134.1	Hornblende granodiorite altered, reddish feldspar.
134.1 - 134.6	Biotite schist 25°.
134.6 - 135.6	Pegmatite dyke 30° reddish, no spodumene.
135.6 - 139.4	Hornblende biotite schist 30°.
139.4 - 157.2	Hornblende granodiorite altered, reddish feldspar.
157.2 - 175.9	Pegmatite dyke 70° white feldspar with good amount of coarse to medium gr. spodumene cut at 60°, little micas, 157.2 - 160.0 low content of spodumene, 157.2 - 175.9 good amount of spodumene, 14%.
175.9 - 185.8	Hornblende granodiorite altered, reddish feldspar.
185.8 - 188.3	Pegmatite dyke 40° reddish color.
188.3 - 216.7	Hornblende granodiorite altered, reddish feldspar.
216.7 - 228.5	Pegmatite dyke 30° white color with regular 15% fine gr. green spodumene cut at 60°.
228.5 - 242.6	Hornblende granodiorite.
242.6 - 245.2	Pegmatite dyke 20° - 40° reddish no spodumene.
245.2 - 309.2	Hornblende granodiorite with sections of reddish feldspar, 80° pegmatite dyke 280.8 - 281.3, 281.5 - 282.3, 286.2 - 287.2.
309.2 - 331.2	Pegmatite dyke 90°, reddish with low spodumene 309.2 - 314.8 whitish with regular fine grained green spodumene 15%, 314.4 - 331.2.
331.2 - 350.0	Hornblende granodiorite 90°.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-79

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 32.0	Casing.
32.0 - 35.6	Altered biotite diorite, gneissic facies.
35.6 - 41.2	Mineralized zone, mostly pyrite, pyrrhotite; magnetic.
41.2 - 46.0	Biotite schist.
46.0 - 57.6	Altered biotite diorite, gneissic facies.
57.6 - 62.4	Biotite schist.
62.4 - 66.5	Altered biotite diorite, gneissic facies.
66.5 - 67.1	Hornblende granodiorite.
67.1 - 70.0	Hornblende, biotite schist, pyrite mineralization.
70.0 - 82.0	Altered biotite diorite, gneissic facies.
82.0 - 95.0	Biotite schist, some pyrite and threads of fluorite.
95.0 - 100.0	Altered biotite diorite gneissic facies.
97.0 - 98.7	lost core.
100.0 - 105.4	Hornblende granodiorite.
105.4 - 125.0	Altered biotite diorite gneissic facies.
125.0 - 150.0	Hornblende granodiorite.
150.0 - 169.4	140.8 - 145.6 Altered diorite gneissic facies.
169.4 - 175.0	Hornblende granodiorite.
175.0 - 200.0	Gneissic hornblende diorite grading in to hornblendite.
200.0 - 230.9	Alternated altered diorite, Hornblendite and biotite schist.
230.9 - 241.7	Altered hornblendite. Spodumene pegmatite dyke = 0.6% Li ₂ O Spodumene crystals at 40° - 45°
241.7 - 261.0	Hornblendite and biotite schist.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-80

Latitude :	Started :
Departure :	Finished :
Direction :	Logged by :
Dip :	
Depth :	
Elevation :	

0.0 - 55.0	Casing.
55.0 - 72.4	Hornblendite granodiorite altered reddish feldspar.
72.4 - 74.0	Pegmatite dyke 30°. no spodumene.
74.0 - 77.8	Hornblende biotite granodiorite red feldspar.
77.8 - 82.4	Pegmatite dyke 30°, reddish, no spodumene.
82.4 - 113.5	Hornblende granodiorite with reddish feldspar, l.c. 84.6 - 86.6, 102.0 - 102.7, 105.7 - 106.7, pegmatite 30°, 104.3 - 105.3.
113.5 - 123.7	Pegmatite dyke 65°, pink color with fair amount of spodumene 12%.
123.7 - 139.6	Hornblende biotite granodiorite altered.
139.6 - 154.1	Pegmatite dyke 40° partly broken core with slips, little spodumene 3%.
154.1 - 174.4	Hornblende granodiorite altered red feldspar. Low 7 pegmatites, 173.2 - 173.8.
174.4 - 187.1	Pegmatite dyke low 7, with 11 slips, reddish, very little spodumene.
187.1 - 209.0	Granodiorite altered. 30° pegmatite dyke 207.1 - 207.7
209.0 - 250.9	Hornblende granodiorite reddish feldspar.
250.9 - 252.9	Pegmatite dyke 80°, 15% fine grained spodumene reddish color, medium gr.
252.9 - 253.4	Granodiorite altered.
253.4 - 269.8	Pegmatite dyke 60°, white color with = 14% coarse spodumene.
269.8 - 398.9	Hornblende biotite granodiorite. 70° pegmatite 395.7 - 396.8.
398.9 - 427.0	Pegmatite dyke 40° - 70°, whitish feldspar with irr. dissemination, at little spodumene, 5%.
427.0 - 459.0	Hornblende biotite granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-81

Latitude :
 Departure :
 Direction :
 Dip :
 Depth :
 Elevation :

Started :
 Finished :
 Logged by :

0.0 - 30.0 Casing.
 30.0 - 51.0 Hornblende biotite granodiorite.
 51.0 - 71.1 Pegmatite dyke (no visible contact) with 15% medium gr. green spodumene.
 71.1 - 243.9 Hornblende biotite granodiorite.
 30° red pegmatite, 107.0 - 109.2
 11 slip, low contact, 164.0 - 190.0, red alteration,
 l.c. 172.0 - 174.1.
 243.9 - 267.6 Pegmatite dyke 40°, partly reddish with regularly distribution of coarse green spodumene, 14%.
 267.6 - 400.2 Hornblende biotite granodiorite.
 Low pegmatite 290.9 - 292.8, 295.0 - 298.0, 298.3 - 300.8,
 334.0 - 335.5, 342.0 - 343.8
 6" 30° pegmatite 324.7
 30° pegmatite 378.1 - 379.7.
 400.2 - 420.0 Hornblende granodiorite reddish, medium,
 l.c. 402.2 - 404.2
 420.0 - 488.1 Hornblende granodiorite.
 pegmatite 30° 431.3 - 431.7, 440.3 - 441.1, 471.3 - 472.7
 l.c. 479.1 - 479.7.
 488.1 - 550.2 Pegmatite dyke 30° No. 3, partly reddish, some micas very little spodumene.
 l.c. 507.2 - 508.6, 510.4 - 511.2, - 517.9 - 518.8
 550.2 - 675.0- Hornbl-biotite granodiorite, reddish feldspars.

Quartz-feldspar	450	557.0 - 557.1
"	500	567.0 - 567.3
"	600	582.0 - 582.5
"		587.8 - 588.4
"	300	615.6 - 615.7
"	700	645.5 - 645.6
"	300	654.6 - 654.8

Lost core 669.2 - 674.1

675.0 - 888.1 Hornb-biotite granodiorite, reddish feldspars
 lost core 732.0 - 734.0
 quartz-feld.reddish
 " " " low 738.0 - 741.0
 " " " 742.2 - 745.0

(Cont SB-81).

Quartz-feldspar reddish low	745.7 - 746.7
lost core	750.0 - 752.5
" "	753.7 - 755.0
" "	757.6 - 758.9
quartz-feldspar reddish,low	762.9 - 764.9
" "	766.6 - 767.3
" "	778.4 - 778.7
" "	779.5 - 781.2
" "	793.0 - 796.0
" "	798.5 - 801.7
" "	803.4 - 807.3
" "	811.5 - 811.7
" "	815.5 - 818.5
" "	837.3 - 838.5
" "	885.8 - 886.3

888.1 - 895.0 Altered hornblende-biotite granodiorite, fine gr. matrix with small phenoocrysts.

895.0 - 1050.0 Hornblende-Biotite granodiorite reddish feldspar.

quartz-feldspar	low	896.5 - 897.2
" "	reddish 45°	901.6 - 902.4
" "	"	936.9 - 937.6
" "	low	955.8 - 956.3
" "	30°	976.6 - 976.7
" "	30°	993.1 - 993.3
" "	30°	1001.3 - 1001.4
" "	20°	1019.7 - 1020.2
" "	30°	1020.5 - 1020.7
" "	30°	1034.5 - 1034.7
" "	low	1038.0 - 1039.6
" "	low	1049.2 - 1049.4
"		

1050.0 - 1205.0 Hornblende granodiorite,
60° pegmatite no spodumene, 1055.1 - 1056.2,
low " " " , 1134.8 - 1136.1, 1160.6 - 1161.5
l.c. 1164.3 - 1167.2, 1183.6 - 1186.2, 1188.1 - 1190.0

1205.0 - 1215.0 Hornblende biotite granodiorite with a few 30° pegmatite stra.

1215.0 - 1226.0 Biotite schist.

1226.0 - 1228.8 Hornblende biotite granodiorite.

1228.0 - 1232.2 Lost core.

1232.2 - 1351.9 Hornblende granodiorite.

Hornblendite phase 1247.0 - 1258.5
11 pegmatite no spodumene, 1263.2 - 1266.7,
1276.7 - 1277.2,
1291.6 - 1292.7,
1296.7 - 1298.2
l.c. 1300.0 - 1302.1, 1322.3 - 1325.0,
1326.9 - 1329.0,
40° pegmatite no spodumene 1335.4 - 1336.6

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-82

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 41.8 Casing.
41.8 - 131.7 Hornblende biotite granodiorite,
altered red 80.0 - 95.0
l.c. 84.6 - 87.3, 92.5 - 94.0.

131.7 - 133.2 Hornblendite 45°.
133.2 - 133.8 Hornblendite biotite granodiorite.
133.8 - 135.2 Biotite schist 40° with pyrite.
135.2 - 135.7 Hornblende biotite granodiorite.
135.7 - 146.0 Pegmatite dyke 40° pink color with regular distribution coarse
green spodumene, 12%.
146.0 - 156.9 Biotite granodiorite.
156.9 - 158.1 Hornblendite 30°.
158.1 - 182.4 Hornblendite granodiorite.
182.4 - 190.2 Hornblendite.
190.2 - 191.6 3" 30o lampro. 187.2
191.6 - 239.6 Hornblende granodiorite.
Pegmatite dyke 30o - 50o
little spodumene 191.6 - 204.3, 219.4 - 225.0
medium grained, white to green spodumene, 15%
204.3 - 219.4
very little spodumene with micas 225.0 - 239.6

239.6 - 240.8 Biotite granodiorite.
240.8 - 250.0 Pegmatite dyke 60o, very little spodumene, little micas.
250.0 - 263.5 Biotite hornblende granodiorite.
263.5 - 286.5 Pegmatite dyke 50o with medium to coarse green spodumene, 14%
286.5 - 320.6 Hornblende biotite granodiorite.
320.6 - 324.3 Pegmatite dyke 60o reddish, little coarse green spodumene, 5%
324.3 - 425.2 Hornblende-biotite granodiorite, reddish feldspar.
quartz-feldspar, 15o pinkish 362.1 - 363.0

425.2 - 477.0 Hornblende-biotite granodiorite, altered, with basic segregation.
477.0 - 488.5 Spodumene pegmatite dyke reddish, poor mostly altered spodumene.
488.5 - 500.0 Hornblende biotite granodiorite, reddish feldspar.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-83

Latitude :
Departure :
Direction :
Dip :
Depth :
Elevation :

Started :
Logged by :
Finished :

0.0 - 20.0
20.0 - 27.7
27.7 - 68.6

Casing.

Hornblende granodiorite 45°.
Spodumene pegmatite dyke, 45°,
27.7 - 38.0 (good) green, medium-gr., regular distribution.
38.0 - 45.0 (good) " , coarse-gr.
45.0 - 68.6 (low) " , medium-gr., altered spodumene.
Hornblende-biotite granodiorite 45°.
Spodumene pegmatite dyke.

68.6 - 102.1
102.1 - 112.9

(good) green, medium-gr. regular distribution.

Hornblende biotite granodiorite 60°.
Spodumene pegmatite dyke (low) green, medium to fine grained,
irregular distribution, altered.

129.2 - 156.0
156.0 - 157.9
157.9 - 158.9
158.9 - 160.5
160.5 - 175.0
175.0 - 176.3
176.3 - 184.0
184.0 - 189.0
189.0 - 199.3

Hornblende biotite granodiorite 30°.
Quartz-feldspar reddish.
Hornblende biotite granodiorite 45°, 80°, altered.
Quartz-feldspar reddish.
Hornblende biotite granodiorite.
Quartz-feldspar reddish, traces of spodumene 20°.
Hornblende biotite granodiorite.
" " " altered, 11 slips, 27°.

Spodumene pegmatite dyke, reddish.
(Very low), fine gr. irregular distribution.

193.3 - 209.1
209.1 - 211.7
211.7 - 215.4
215.4 - 216.6
216.6 - 225.5
225.5 - 240.0

Hornblende biotite granodiorite altered.
Quartz-feldspar, fissured, green tins., 15°.
Hornblende biotite granodiorite.
Hornblende biotite granodiorite, much altered, silic. 30°.
" " " 45°

Spodumene pegmatite dyke.

green, msd. to coarse gr., regular
distribution.

240.0 - 240.8
240.8 - 260.3
260.3 - 260.7
260.7 - 278.8
278.8 - 280.3
280.3 - 301.7
301.7 - 302.5
302.5 - 339.4
339.4 - 340.5
340.5 - 344.2

Lost core.
Hornblende biotite granodiorite, reddish feldspar 70°.
Quartz-feldspar reddish 70°.
Hornblende biotite granodiorite, reddish feldspar altered.
Quartz-feldspar, reddish.
Hornblende biotite granodiorite, reddish feldspar.
" " " altered dicitio, 40°.
" " " "
Quartz-feldspar pinkish.
Hornblende biotite granodiorite altered.

(Cont. SB-83).

- 344.2 - 345.4 Quartz feldspar, whitish, 70c.
345.4 - 348.6 Hornblende biotite granodiorite, 45c.
348.6 - 349.4 Quartz-feldspar pinkish.
349.4 - 367.5 Hornblende biotite granodiorite reddish feldspar, 80c.
367.5 - 386.7 Pegmatite dyke.
367.5 - 377.6 (very low) whitish, black shots of mica?
377.6 - 380.6 (good) green, fine grained.
380.6 - 386.7 (very low) whitish, black shots of mica.
- 386.7 - 387.0 Biotite schists, 45c.
387.0 - 401.5 Hornblende biotite schists, align. at low angle.
401.5 - 402.0 Quartz feldspar pinkish.
402.0 - 408.1 Hornblende biotite schists, 40c.
408.1 - 435.0 Pegmatite dyke.
408.1 - 416.4 (traces) pinkish.
416.4 - 435.0 (good) green, mostly msd. to fine gr. regular distribution
- 435.0 - 437.0 Lost core.
437.0 - 446.6 Hornblende biotite granodiorite, reddish feldspar.
446.6 - 448.3 Lost core.
448.3 - 450.8 Hornblende biotite granodiorite, reddish feldspar.
450.8 - 451.8 Lost core.
451.8 - 470.3 Hornblende biotite granodiorite, reddish feldspar, 85c.
470.3 - 473.1 Spodumene pegmatite dyke.
(good) green, medium to fine gr. regular distribution, pinkish.
- 473.1 - 474.3 Hornblende biotite granodiorite, 70c.
474.3 - 474.7 Quartz-feldspar, whitish, 80c.
474.7 - 478.0 Hornblende biotite granodiorite.
478.0 - 480.4 Spodumene pegmatite dyke, 80c.
(good) green, medium to fine grained.
- 480.4 - 483.2 Hornblende biotite granodiorite.
483.2 - 504.1 Spodumene pegmatite dyke, 80c.
483.2 - 500.0 (fair) green, medium to coarse gr. regular distribution.
500.0 - 504.1 (low) green, fine & coarse gr. irregular distribution.
- 504.1 - 514.3 Hornblende biotite granodiorite, 80c.
514.3 - 518.8 Spodumene pegmatite dyke, 80c.
514.3 - 517.1 (good) green, mostly fine gr.
517.1 - 518.8 (very low) fine grained.
- 518.8 - 524.5 Hornblende biotite granodiorite.
524.5 - 526.8 Quartz-feldspar. Traces of spodumene (coarse gr.) 80c.
526.8 - 528.4 Hornblende biotite granodiorite. 80c.
528.4 - 531.4 Spodumene pegmatite dyke.
(fair) green, irregular distribution.
- 531.4 - 535.3 Hornblende biotite granodiorite.
535.3 - 536.3 Lost core.
536.3 - 542.4 Hornblende biotite granodiorite, reddish feldspar.
542.4 - 545.3 Lost core.
543.3 - 545.0 Hornblende biotite granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-84

Latitude :
 Departure :
 Direction :
 Dip :
 Depth :
 Elevation :

Started :
 Finished :
 Logged by:

0.0 - 16.0	Casing.
16.0 - 31.6	Hornblende biotite granodiorite lost core 29.0 - 29.9 " " 30.6 - 31.6
31.6 - 33.6	Hornblende biotite granodiorite, altered, fine-gr., chlorite.
33.6 - 81.6	Spodumene pegmatite dyke, 90c, 50c. 33.6 - 65.0 Regular dissemination, pale green, mostly medium to fine-gr., 65.0 - 81.6 pinkish.
81.6 - 84.5	Hornblende biotite granodiorite.
84.5 - 84.8	Quartz-feldspar with spodumene, 70o.
84.8 - 96.2	Hornblende biotite granodiorite. lost core 93.8 - 95.0
96.2 - 97.4	Quartz, smoky.
97.4 - 110.7	Hornblende biotite granodiorite. lost core 99.5 - 100.0
110.7 - 111.3	Hornblendite 30o 105.0 - 106.0
111.3 - 120.0	Hornblende biotite granodiorite, altered 119.0 - 120.0
120.0 - 145.2	Spodumene pegmatite dyke, 45o, regular dissemination, altered spodumene, dark green, medium to coarse grained.
145.2 - 157.4	Hornblende biotite granodiorite.
157.4 - 163.5	Quartz-feldspar, 20o, pinkish.
163.5 - 163.7	Hornblende biotite granodiorite, altered.
163.7 - 164.3	Quartz-feldspar, reddish, 45o.
164.3 - 202.5	Hornblende biotite granodiorite, reddish feldspar.
202.5 - 209.4	Quartz-feldspar reddish, 40o.
209.4 - 212.9	Hornblende biotite granodiorite.
212.9 - 223.7	Hornblendite 45o.
223.7 - 253.7	Hornblende biotite granodiorite. lost core 233.8 - 235.0 45o, quartz-feld. 248.7 - 248.9 " " 251.2 - 251.4
253.7 - 270.4	Spodumene pegmatite dyke, 85o, good regular dissemination coarse grained, pale green, fresh.
270.4 - 300.0	Hornblende biotite granodiorite, Quartz-feldspar, 40o, 278.4 - 278.8 288.9 - 289.2 297.0 - 297.2
300.0 - 412.9	Hornblende granodiorite. 1" 60o pegmatite, no spodumene, 336.0 - 344.3 345.6 - 349.1, 411.3.

(Cont. SB-84.)

412.9 - 413.7 Pegmatite quartz-feldspar.
413.7 - 421.2 Hornblende granodiorite.
421.2 - 428.3 Pegmatite 40o, quartz-feldspar, little micas (biotite) no spodumene.
428.3 - 619.4 Hornblende granodiorite.
30o pegmatite, little spodumene, 429.1 - 429.5,
430.6 - 431.1,
438.0 - 439.1,
494.9 - 495.4,
1" to core pegmatite, no
spodumene, 527.8 - 529.2,
1" 40o pegmatite, no spodumene, 578.1.
614.4 - 619.4 Pegmatite 50o, quartz-feldspar with 10% coarse green spodumene.
619.4 - 662.1 Hornblende granodiorite.
662.1 - 745.0 Pegmatite 30o, whitish, quartz-feldspar, little micas.
5% little green spodumene 682.7 - 685.6,
721.0 - 722.8.
1.c. 720.5 - 721.0, 726.0 - 726.8, 727.6 - 728.8,
745.0 - 749.5 Hornblende biotite granodiorite altered.
749.5 - 750.3 Pegmatite 50o, quartz-feldspar, no spodumene.
750.3 - 750.9 Lost core.
750.9 - 781.4 Hornblende granodiorite altered.
1.c. 757.3 - 758.3, 772.2 - 773.2

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-85

Latitude :
Departure :
Direction :
dip :
Depth :
Elevation :

Started :
Finished :
Logged by :

0.0 - 9.0 Casing.
9.0 - 28.1 Pegmatite dyke 30o whitish
medium grained spodumene, 6%, 9.0 - 16.4
some mica with very little spodumene.
28.1 - 48.0 Biotite schist.
48.0 - 55.3 Hornblende granodiorite altered,

55.3 - 80.2 - pegmatite 50o, little spodumene 51.4 - 51.9.
Pegmatite dyke 60o, whitish with little micas, with irregular
medium to fine grained spodumene, 5%.
Regular spodumene, 69.6 - 75.9.
80.2 - 92.4 Hornblende granodiorite.
92.4 - 94.1 Hornblende schist 25o.
94.1 - 100.2 Hornblende granodiorite.
100.2 - 101.3 l.c. 97.3 - 98.2.
101.3 - 103.2 Pegmatite dyke 20o, quartz-feldspar, white, no spodumene.
Hornblende granodiorite.
103.2 - 108.3 Pegmatite dyke 30o - 60o, whitish, little fine grained spodumene.
Hornblende granodiorite.
108.3 - 111.0 111.0 - 111.8 lost core .
111.8 - 143.0 Pegmatite dyke.
reddish with little spodumene, 111.8 - 118.5
medium to fine grained spodumene, 12%. 118.5-143.0.
143.0 - 144.5 Hornblende granodiorite altered.
144.5 - 161.1 Pegmatite dyke 70o white, little mica, very little spodumene.
161.1 - 171.6 Hornblende granodiorite.
171.6 - 172.5 l.c. 161.6 - 163.5, 170.5 - 171.5
Pegmatite dyke 25o, no spodumene.
172.5 - 174.4 Biotite granodiorite.
l.c. 173.3 - 174.4.
174.4 - 183.3 Pegmatite dyke low - 20o, pinkish,
no spodumene except 181.3 - 182.6, 0.6% Li₂O.
l.c. 175.8 - 176.4, 178.3 - 178.9, 180.6 - 181.3.
183.3 - 185.6 Hornblende granodiorite altered.
l.c. 183.9 - 185.0.
185.6 - 187.5 Pegmatite dyke 25o, no spodumene.
187.5 - 238.0 Hornblende granodiorite altered,
l.c. 201.6 - 202.2
2." 20o pegmatite 216.1
reddish pegmatite 40o, 225.5 - 226.1, 236.3-237.3

(Cont. SB- 85.)

238.0 - 260.7 Hornblende granodiorite with reddish feldspar,
hornblende biotite 245.6 - 246.7.

260.7 - 271.9 Pegmatite dyke 70o with coarse grained altered spodumene, 12%.
271.9 - 288.7 Hornblende granodiorite with reddish feldspar.
288.7 - 291.3 Pegmatite dyke 70o yellowish with very little spodumene.
291.3 - 304.6 Hornblende granodiorite.
304.6 - 306.7 Pegmatite dyke 20o whitish, v.l. spodumene.
306.7 - 356.4 Hornblende biotite granodiorite.
356.4 - 357.1 Pegmatite dyke 20o, no spodumene.
357.1 - 360.0 Hornblende biotite schist.
360.0 - 362.8 Pegmatite 40o pinkish, no spodumene.
362.8 - 365.5 Biotite schist.
365.5 - 390.8 Hornblende Biotite schist.
390.8 - 401.6 Pegmatite dyke 30o - 70o, pinkish with little fine grained spodumene.
401.6 - 414.2 Biotite schist.
414.2 - 420.6 Pegmatite dyke 40o, whitish with granodiorite and schist inclus. very
little spodumene.
420.6 - 432.1 Hornblende granodiorite altered.
432.1 - 440.7 Pegmatite dyke 25o, pinkish, little micas, no spodumene.
440.7 - 491.2 Hornblende granodiorite altered,
2" pegmatite 466.2, - 473.7, 475.6
low red pegmatite 483.1 - 484.3.
491.2 - 509.0 Pegmatite dyke 25o reddish with little chl. and micas, no spodumene,
coarse gr. green spodumene 507.2 - 508.1.

509.0 - 514.9 Hornblende biotite granodiorite.
514.9 - 536.0 Pegmatite dyke 50o - low whitish with irregular medium grained
altered spodumene.
536.0 - 554.7 Hornblende granodiorite altered,
4" 70o pegmatite 542.5, 544.7.
554.7 - 557.6 Pegmatite dyke 20o - low pink, no spodumene.
557.6 - 567.0 Hornblende granodiorite.

END OF HOLE.

QUEBEC LITHIUM CORPORATION

DIAMOND DRILL HOLE SB-86

0.0 - 33.8 Casing.
33.8 - 52.0 Hornblende biotite granodiorite with reddish feldspar.
52.0 - 52.9 Pegmatite 50o reddish, no spodumens.
52.9 - 95.8 Hornblende granodiorite altered with reddish feldspar.
b.c. 11 slips 75.0 - 78.4.
95.8 - 165.2 Pegmatite dyke 70o,
15% coarse gr. green spodumene 95.8 - 109.0
13% medium to fine gr. spodumene 109.0 - 163.4,
some coarse spodumene,
No spodumene 163.4 - 165.2.

170.0 - 175.7 Hornblende biotite granodiorite.
175.7 - 232.0 Hornblende biotite schist.
30o pegmatite 215.3 - 216.0
232.0 - 286.2 Hornblende biotite granodiorite.
30o pegmatite 260.3 - 261.6, 263.3 - 263.6.

286.2 - 304.9 Pegmatite 70o, whitish with regular medium gr. spodumene green, 10%.
304.9 - 323.0 Hornblende biotite granodiorite.
323.0 - 330.0 Pegmatite 30o reddish with about 1% spodumene.
330.0 - 388.7 Hornblende granodiorite.
30o pegmatite, 319.3 - 320.5 with, 5% spodumene,
reddish altered 350.0- 365.0, 377.0 - 388.7,
3" 50o pegmatites 361.0, 362.6 - 367.2, 375.3.

388.7 - 406.5 Hornblende granodiorite altered,
l.c. 405.4 - 406.1,

406.5 - 409.6 Pegmatite dyke 30o altered Kaclinized, little spodumene.
409.6 - 435.6 Hornblende granodiorite.
11 slips & b.c. 411.0 - 419.0,
reddish 422.0 - 432.0.

435.6 - 451.1 - Hornblendite.
451.1 - 467.9 Hornblende granodiorite altered.
467.9 - 470.0 Pegmatite 40o reddish.
470.0 - 479.5 Hornblende granodiorite altered,
40o pegmatite reddish 470.2 - 470.8

479.5 - 483.9 Pegmatite 25o reddish v. little spodumene.
483.9 - 509.1 Hornblende granodiorite.
509.1 - 516.7 Pegmatite 25o, partly reddish sparse spodumene.
516.7 - 550.0 Hornblende granodiorite.

END OF HOLE.